

# **LDZ Shrinkage Quantity Final Estimates Formula Year 2012/13**

**Wales & West House  
Spooner Close  
Celtic Springs  
Coedkernew  
Newport, NP10 8FZ**

**[www.wwutilities.co.uk](http://www.wwutilities.co.uk)**

## Table of Contents

<b>1</b>	<b>LDZ Shrinkage Proposals for Formula Year 2012/13.....</b>	<b>3</b>
1.1	Purpose of Proposal.....	3
1.2	Summary of Proposal.....	3
1.3	Component Analysis.....	4
1.3.1	Leakage .....	4
1.3.2	Distribution Mains (and Services) Leakage .....	4
1.3.3	AGI Emissions.....	5
1.3.4	Other Losses .....	6
1.3.5	Total Leakage .....	6
1.4	Own Use Gas.....	7
1.5	Theft of Gas.....	7
1.6	LDZ Shrinkage Summary .....	8
1.6.1	LDZ Shrinkage Quantity Summary.....	8
1.6.2	LDZ Shrinkage Factor Summary .....	8
1.7	Detailed Analysis.....	9
1.7.1	Leakage .....	9
1.7.2	Own Use Gas.....	9
1.7.3	Theft of Gas.....	9
1.8	Extent to which the Proposal would better facilitate the relevant objectives .....	10
1.9	The implications for Wales & West Utilities of implementing the Proposal including: 10	
1.10	The implications of implementing the Proposal for Users .....	10
1.11	Analysis of any advantages or disadvantages on implementation of the Proposal.....	10
1.12	Summary of the representations (to the extent that the import of those representations are not reflected elsewhere in the Proposal).....	11
1.13	Programme of works required as a consequence of implementing the Proposal.....	11
1.14	Proposed implementation timetable (including timetable for any necessary information system changes.....	11
1.15	Recommendation concerning the implementation of the Proposal.....	11
1.16	Wales & West Utilities Proposal.....	11

## 1 LDZ Shrinkage Proposals for Formula Year 2012/13

### 1.1 Purpose of Proposal

The purpose of this paper is to present Wales & West Utilities' proposals in respect of LDZ Shrinkage for the Formula Year 2012/13 as required under Section N of the Uniform Network Code (UNC) Transportation Principal Document (TPD).

Implementation of UNC Modification Proposal 0203V on 1 July 2008 has revised the information that each Transporter is required to publish UNC TPD Section N. Prior to 1 July 2008 the Transporter had an obligation to set a LDZ Shrinkage Factor for each of its LDZs in order to account for gas used by the Transporter in operation of the System and for gas offtaken but unaccounted for. The revised requirement has replaced the LDZ Shrinkage Factor with an LDZ Shrinkage Quantity. These Final Estimates detail both LDZ Shrinkage Factors and LDZ Shrinkage Quantities for ease of comparison.

Implementation of UNC Modification Proposal 0225 on 29 December 2008 has resulted in changes to timing of the notification and assessment processes relating to LDZ Shrinkage Quantities. Transporters are now required to publish LDZ Shrinkage Quantities in relation to the Formula Year rather than the Gas Year.

Unless upon the application of any User, made no later than 15 March 2012, the Authority give Condition A11(18) Disapproval, the estimated LDZ Shrinkage Quantities detailed in this document will become the WWU LDZ Shrinkage Quantities for the Formula Year 2012/13.

### 1.2 Summary of Proposal

The LDZ Shrinkage, which is set out in the following table, reflects the losses associated with leakage, theft of gas and gas used in the operation of the system. Details of how these quantities have been determined are included in this paper. The structure of the paper follows the format of a UNC Modification Report.

Fugitive emissions of gas have been calculated on an LDZ basis. Theft of gas, and gas used in the operation of the system, has been calculated using previous defined methodology. The calculations used to derive the Shrinkage and a summary of the underlying information are set out in this proposal.

The LDZ Shrinkage Quantity is to be used as the basis for WWU's LDZ Shrinkage gas procurement during the 2012/13 Formula Year.

LDZ	Proposed LDZ Shrinkage Quantity (GWh)	Proposed LDZ Shrinkage Factor 2012/13 (%)
Wales North	56.8	0.774
Wales South	140.1	0.337
South West	250.6	0.802
<b>Combined Values</b>	<b>447.4</b>	<b>0.558</b>

Note: The Shrinkage Factors shown in the table are expressed as a percentage of forecast LDZ demand.

### 1.3 Component Analysis

This section of the document presents an analysis of the components of LDZ Shrinkage Quantities that make up the estimates for the Formula Year 2012/13 proposal.

#### 1.3.1 Leakage

Leakage represents the largest component of the LDZ Shrinkage Quantity.

For the purpose of analysis, leakage is split into three categories which are:

- Distribution Mains (including service pipes);
- Above Ground Installations (AGIs); and,
- Other losses.

Distribution mains and service leakage is a feature of normal system operation.

AGI leakage includes the routine venting of control equipment.

Other losses include gas lost as a result of interference damage and broken mains. These losses are not continuous; they are caused by specific events.

#### 1.3.2 Distribution Mains (and Services) Leakage

The leakage of gas from the Distribution mains system (which includes service pipe leakage) is calculated by applying the results of the 2002/3 National Leakage Testing programme to the following network<sup>1</sup> specific information:

- Projected (Formula Year end 2012/13) records of pipe asset;
- The annual average system pressure in each network<sup>1</sup> for formula year April 2010 to March 2011

The table below shows the Low Pressure leakage on an LDZ basis

<b>LDZ</b>	<b>Low Pressure Leakage (GWh)</b>
Wales North	27.2
Wales South	93.2
South West	187.6
<b>Total</b>	<b>308.0</b>

<sup>1</sup> Network in this context relates to physical interconnected pipe systems, not administrative structure.  
Wales & West Utilities Limited  
28.02.2012 Wales & West House, Spooner Close, Coedkernew, Newport NP10 8FZ  
Registered in England and Wales: No. 5046791

The table below shows the Medium Pressure leakage on an LDZ basis

<b>LDZ</b>	<b>Medium Pressure Leakage (GWh)</b>
Wales North	3.5
Wales South	10.2
South West	20.8
<b>Total</b>	<b>34.5</b>

The figures for leakage from Above Ground Installations have been taken from the findings of the 2003 Above Ground Installation Leakage Test programme.

### 1.3.3 AGI Emissions

The figures for leakage from Above Ground Installations have been taken from the findings of the 2003 Above Ground Installation Leakage Test programme.

The table below shows AGI Leakage on an LDZ basis

<b>LDZ</b>	<b>AGI Emissions<sup>2</sup> (GWh)</b>
Wales North	23.6
Wales South	23.6
South West	31.7
<b>Total</b>	<b>78.9</b>

---

<sup>2</sup> Includes leakage and routine equipment venting

Wales & West Utilities Limited

28.02.2012 Wales & West House, Spooner Close, Coedkernew, Newport NP10 8FZ

Registered in England and Wales: No. 5046791

### 1.3.4 Other Losses

Gas may be lost from LDZ equipment as a result of specific events, namely broken mains and interference damage to plant, in addition to ongoing leakage. These losses are known collectively as “other losses”.

Statistics in respect of the number of broken mains and damages are used in conjunction with calculations on the amount of gas lost through each type of incident to derive the total amount of gas lost as a result of these events (for the purpose of this paper the numbers of events in 2010/11 have been used for the analysis).

The table below shows the amount of gas lost as a result of other losses for the WWU LDZs.

<b>LDZ</b>	<b>Other Losses (GWh)</b>
Wales North	0.16
Wales South	0.20
South West	0.77
<b>Total</b>	<b>1.13</b>

### 1.3.5 Total Leakage

The table below shows the total amount of predicted leakage for Formula Year 2012/13 on an LDZ basis with the leakage expressed in GWh and as a percentage of forecast LDZ demand.

<b>LDZ</b>	<b>Leakage</b>	
	<b>Quantity (GWh)</b>	<b>Factor (% of forecast LDZ demand )</b>
Wales North	54.48	0.743
Wales South	127.19	0.306
South West	240.87	0.771
<b>Total / Weighted Average</b>	<b>422.54</b>	<b>0.527</b>

## **1.4 Own Use Gas**

Natural gas is a compressible fluid; as a direct result of this property, it experiences a drop in temperature when it undergoes an isenthalpic expansion. When gas has its pressure reduced (at an NTS Offtake or Local Transmission System PRI) the gas on the downstream side of the pressure reduction apparatus is colder than the gas on the upstream side. To avoid the gas leaving a site at below freezing point of water, and causing damage to the downstream pipeline, pre-heating may be applied. Pre-heating is only needed to maintain gas above 0°C and if the gas enters the site at a sufficiently high temperature, e.g. during the summer, or if the pressure reduction is small, then pre-heating may not be required.

Pre-heating requires a small proportion of the gas passing through the site to fuel the pre-heating equipment. The amount of fuel required for pre-heating is estimated by applying industry standard thermodynamic equations, LDZ throughput and system pressures together with assumptions about the efficiency of the pre-heating equipment.

Routine venting of gas by control equipment at AGIs could also be said to be Own Use Gas, however for the purpose of this paper it is included within AGI leakage.

WWU have a planned 5 year replacement programme for water bath heaters. On completion of this programme WWU intends to use actual, metered gas consumed for AGI pre-heating rather than a calculated factor. Until completion of this programme, WWU propose to apply the factor of 0.011% to its forecast LDZ demand following studies carried out by Advantica and reported to the Shrinkage Forum.

For the Formula Year 2012/13 the factor for Own Use Gas is proposed as 0.011% of forecast LDZ demand.

## **1.5 Theft of Gas**

UNC Section N 1.3.2 states that LDZ Shrinkage shall include, and WWU is therefore responsible for, gas illegally taken upstream of the customer control valve and downstream where there is no shipper contract with the end-user.

There is a current consensus agreement that unidentified theft is assumed to be 0.2% of forecast LDZ demand, of which 10% is deemed to be Transporters responsibility, resulting in a theft of gas factor of 0.02%.

WWU propose that the Theft of Gas factor be set at 0.02% for the Formula Year 2012/13.

## 1.6 LDZ Shrinkage Summary

### 1.6.1 LDZ Shrinkage Quantity Summary

The proposed LDZ Shrinkage Quantities for the Formula Year 2012/13 are presented in the following table.

<b>LDZ</b>	<b>Leakage (GWh)</b>	<b>Own Use Gas (GWh)</b>	<b>Theft of Gas (GWh)</b>	<b>Proposed Shrinkage Quantity 2012/13 (GWh)</b>
Wales North	54.48	0.8	1.5	56.8
Wales South	127.19	4.6	8.3	140.1
South West	240.87	3.4	6.2	250.6
<b>Total</b>	<b>422.54</b>	<b>8.8</b>	<b>16.0</b>	<b>447.4</b>

### 1.6.2 LDZ Shrinkage Factor Summary

The proposed LDZ Shrinkage Factors for the Formula Year 2012/13 are presented in the following table.

<b>LDZ</b>	<b>Leakage (%)</b>	<b>Own Use Gas (%)</b>	<b>Theft of Gas (%)</b>	<b>Proposed Shrinkage Factor 2012/13 (%)</b>
Wales North	0.743	0.011	0.020	0.774
Wales South	0.306	0.011	0.020	0.337
South West	0.771	0.011	0.020	0.802
<b>Weighted Average</b>	<b>0.527</b>	<b>0.011</b>	<b>0.020</b>	<b>0.558</b>

Note: All factors are expressed as percentages of forecast LDZ demand.



## **1.7 Detailed Analysis**

### **1.7.1 Leakage**

In May 2003, Advantica, on behalf of Transco, completed an extensive programme of Leakage Tests. The results of the leakage testing programmes have been used in conjunction with our mains and other plant records, and system pressures to derive total leakage by LDZ. The nature of these tests and their findings were described in previous proposals, and will not be included in this paper.

### **1.7.2 Own Use Gas**

The 2012/13 proposals utilise the methodology applied in previous years and incorporating the conclusions of studies carried out by Advantica, whereby Own Use Gas is indicated as being 0.011% of forecast LDZ demand.

### **1.7.3 Theft of Gas**

As a result of previous discussions at The Shrinkage Forum, it was concluded that 0.2% of forecast LDZ demand would be used as the overall level of theft until better information becomes available.

Transco statistics confirm the 90:10 – Shipper: Transporter split in responsibility for theft of gas. We believe that it is appropriate that WWU should assume responsibility for Theft of Gas equal to 0.02% of forecast LDZ demand.

### ***1.8 Extent to which the Proposal would better facilitate the relevant objectives***

This proposal provides an estimate of LDZ Shrinkage for the Formula Year 2012/13. Gas usage and loss in transportation within the LDZs will be reflective of actual conditions. This in turn facilitates the achievement of efficient and economic operation of the system through effective targeting of costs.

It will also lead to accurate targeting of costs to Users through the Reconciliation by Difference process and this is consistent with securing effective competition.

### ***1.9 The implications for Wales & West Utilities of implementing the Proposal including:***

#### **a) Implications for operation of the System:**

We are not aware of any such implications that would result from implementing this proposal.

#### **b) Development and capital cost and operating cost implications:**

The proposed LDZ Shrinkage Quantities (which have been prepared without Pressure and Temperature correction) lead to a fair allocation of operating costs between LDZ systems.

#### **c) Extent to which it is appropriate for Wales & West Utilities to recover the costs, and proposal for the most appropriate way for Wales & West Utilities to recover the costs:**

It is appropriate for each LDZ to incur a share of the overall Shrinkage cost dependant upon the actual shrinkage in that LDZ.

#### **d) Analysis of the consequences (if any) this proposal would have on price regulation**

We are not aware of any such implications that would result from implementing this proposal.

### ***1.10 The implications of implementing the Proposal for Users***

This proposal improves the equitability and accuracy of cost targeting across all Users.

### ***1.11 Analysis of any advantages or disadvantages on implementation of the Proposal***

- **Advantages:** Good representation of the actual system usage and losses leading to improved cost targeting.
- **Disadvantages:** WWU are not aware of any disadvantages.

***1.12 Summary of the representations (to the extent that the import of those representations are not reflected elsewhere in the Proposal)***

No representations were received that directly related to the LDZ Shrinkage Estimates that WWU published on 1 January 2012.

***1.13 Programme of works required as a consequence of implementing the Proposal***

The only required modification is to the LDZ Shrinkage Quantities that will be entered into the UK Link systems.

***1.14 Proposed implementation timetable (including timetable for any necessary information system changes)***

If any User believes that these final estimates should not be used as WWU's LDZ Shrinkage Quantities for the Formula Year 2012/13, they have until 15 March 2012 to request that Ofgem issues a Condition A11(18) Disapproval of this proposal. This provision is contained within UNC TPD Section N 3.1.8.

If no disapproval notice is issued beforehand, it will be our intention to implement revised LDZ Shrinkage Quantities from 06:00 hrs on 1 April 2012.

***1.15 Recommendation concerning the implementation of the Proposal***

We recommend the proposed LDZ Shrinkage Quantities be implemented with effect from 06:00 hrs on 1<sup>st</sup> April 2012.

***1.16 Wales & West Utilities Proposal***

This report contains our proposal for LDZ Shrinkage Quantities for the Formula Year 2012/13.