

MODIFICATION 0691S

**CDSP TO CONVERT CLASS 2, 3 OR 4 SUPPLY METER POINTS TO CLASS 1 WHEN G1.6.15
CRITERIA ARE MET**

1 - TRANSPORTATION PRINCIPAL DOCUMENT

SECTION G – SUPPLY POINTS

Amend paragraph 2.2 to read as follows:

2.2 Changes in Supply Point Classification, etc

2.2.1 Any change in the relevant classification of a Supply Meter Point or Supply Point or a meter reading election in relation to a Supply Meter, shall be given effect only upon and by way of:

- (a) Supply Point Confirmation or (as the case may be) Supply Point Reconfirmation;
- (b) where permitted under Annex G-1, Supply Point Amendment; or
- (c) as regards the classification of a Supply Meter Point or Supply Point only, by the CDSP pursuant to paragraph 2.2.9;

and the provisions of paragraph 2.1 and Section A4 as to the relevant classification shall be construed accordingly.

2.2.2 Where, by virtue of a change in the Annual Quantity or other status as provided in paragraph 2.1.3, a Supply Meter Point or Supply Point is required (in accordance with any provision of the Code) to be classified differently from the prevailing relevant classification, the Registered User shall make a Supply Point Reconfirmation or Supply Point Amendment to give effect to such revised classification for a Supply Point Registration Date or (as the case may be) amendment date not more than 2 months after:

- (a) subject to paragraph (b), the relevant date (as provided in paragraph 2.2.6(b));
- (b) in the case of a change within paragraph 2.1.5, the date when the Class 1 Meter Read Requirements are satisfied.

2.2.3 Where pursuant to any provision of the Code (and other than upon a change in the Annual Quantity or other status as provided in paragraph 2.1.3) the Registered User is entitled to elect for a change in Class of the Supply Meter Point or make a meter reading election in relation to a Supply Meter:

- (a) subject to paragraph (b), the Registered User may not make such an election with effect from a date less than 2 months after the effective date of the last change in Class of the Supply Meter Point or (as the case may be) meter reading election in relation to the Supply Meter;

- (b) paragraph (a) does not apply in respect of a change of Class or meter reading election under a Supply Point Confirmation under which the Proposing User is not an Existing Registered User, or made for the purposes of recording a change in supplier.
- 2.2.4 A Supply Point Amendment changing the Class of a Supply Meter Point from a Class 3 or 4 Supply Meter Point to a Class 1 or 2 Supply Meter Point shall:
 - (a) confirm that the Prevailing Supply Point Capacity will apply at the Supply Meter Point; and
 - (b) specify a Supply Point Offtake Rate (consistent with Annex B-3, paragraph 4.1).
- 2.2.5 If the Class of a Supply Meter Point is changed by way of a Supply Point Amendment, a Meter Reading shall be obtained and submitted to the CDSP in accordance with Section M5.14.1.
- 2.2.6 For the purposes of this paragraph 2.2:
 - (a) **“relevant classification”** means the Class of a Supply Meter Point or the classification of a Supply Point as Smaller or Larger;
 - (b) the relevant date is the date of the change in status of the Supply Meter Point or Supply Point in question, or other date with effect from which the requirement for reclassification first arises;
 - (c) a **“meter reading election”** is an election in relation to a Class 3 Supply Meter of the Batch duration (in accordance with Section M5.8.1) or in relation to a Class 4 Supply Meter of the Meter Read Frequency (in accordance with Section M5.9.1).
- 2.2.7 The CDSP shall monitor each Supply Meter Point in Class 2, Class 3 or Class 4 and, where the Annual Quantity at any such Supply Meter Point becomes equal to or greater than the Annual Quantity specified in paragraph 2.1.3(b) (calculated by reference to paragraph 2.3.15), notify:
 - (a) the Registered User pursuant to paragraph 2.3.6; and
 - (b) the relevant Transporter and any DM Services Provider appointed by the relevant Transporter that the Annual Quantity has crossed a threshold requirement for the purposes of paragraph 2.3.15, not later than 5 Business Days before the end of the AQ Calculation Month.
- 2.2.8 Where the CDSP identifies that a Registered User is in breach of its obligation in paragraph 2.2.2(b) to reclassify a Class 2, 3 or 4 Supply Meter Point to a Class 1 Supply Meter Point arising solely from a failure to reclassify on the basis of the Annual Quantity at that Supply Meter Point having become equal to or greater than the Annual Quantity specified in paragraph 2.1.3(b) (calculated by reference to paragraph 2.3.15) it shall, as soon as reasonably practicable give notice to the Registered User of the same and:
 - (a) notify such Registered User that, if it does not remedy such breach within 20 Supply Point System Business Days of the date on which the CDSP’s notice was issued, the CDSP shall change the classification of a Supply Meter Point on the Registered User’s behalf; and

- (b) require such Registered User to provide, in the event that such breach is not remedied, details of the Supply Point Capacity and the Supply Point Offtake Rate applicable (in each case) to the Supply Meter Point within 20 Supply Point System Business Days of the date on which the CDSP's notice was issued.

2.2.9 If the Registered User does not remedy its breach of the Code within the time period set out in paragraph 2.2.8(a) the CDSP shall reclassify the relevant Supply Meter Point as a Class 1 Supply Meter Point and in so doing shall:

- (a) if and to the extent the Registered User has provided either or both of the details requested pursuant to paragraph 2.2.8(b), and to the extent such detail(s) do not fail validation by the CDSP, utilise such detail(s) in undertaking the reclassification;
- (b) if and to the extent the Registered User has not provided one or both of the details requested pursuant to paragraph 2.2.8(b), or if one or both of the values supplied by a Registered User in response to such request fails validation by the CDSP, the CDSP shall, in the case of the detail(s) not provided or in respect of which validation has been failed (as applicable):
 - (i) where the Supply Meter Point is, prior to reclassification, a Class 2 Supply Meter Point, use the Prevailing Supply Point Capacity and/or Supply Point Offtake Rate for the Supply Meter Point; or
 - (ii) where the Supply Meter Point is a Class 3 or 4 Supply Meter Point, adopt the existing NDM Supply Point Capacity derived from the AQ applicable to the Supply Meter Point as the Supply Point Capacity, and/or adopt a value equivalent to 1/12th (one twelfth) of the Supply Point Capacity (or Supply Point Capacity adopted pursuant to this paragraph as appropriate) as the Supply Point Offtake Rate for the Supply Meter Point;

2.2.10 Each Registered User shall, in respect of each Supply Meter Point registered in its name use all reasonable endeavours to:

- (a) assist the relevant Transporter in the discharge of that Transporter's obligations pursuant to paragraph 2.1.5(a); and
- (b) to facilitate the discharge of the measures described in paragraph 2.2.9 as may be required by any Party or the CDSP.

2.2.11 Breaches of the Code by a Registered User shall not be waived or remedied in circumstances where the CDSP discharges its obligations pursuant to paragraph 2.2.9, and the Registered User shall be liable for all information deemed or adopted on its behalf by the CDSP as if such information had been provided by the Registered User.

2 - GENERAL

DEFINED TERMS LISTING

Amend paragraph the definition of “meter reading election” at page 35 thereof to reference TPD G2.2.6(c)

Amend paragraph the definition of “relevant classification” at page 51 thereof to reference TPD G2.2.6(a)