

# Shrinkage Assessment & Adjustment

## 1 April 2020 – 31 March 2021

**Publication Date: July 2021**  
Version 1.0

# Table of Contents

1. Executive Summary.....	3
2. Shrinkage Quantity Assessment.....	5
2.1 Leakage.....	5
2.1.1 Assessment of 2020/21 Leakage.....	5
2.1.2 Differences between Estimated and Assessed Leakage.....	5
2.2 Own Use Gas.....	5
2.3 Theft of Gas.....	6
2.4 LDZ Specific Shrinkage Quantities.....	7
2.4.1 Reasons for Differences.....	7
3. Shrinkage Adjustment.....	8
3.1 Introduction.....	8
3.2 LDZ Shrinkage Reconciliation Calculations.....	8
3.3 Energy Financial Adjustment.....	9
4. Shrinkage Commodity Charge.....	10
4.1 Introduction.....	10
4.2 Applicable Commodity Charges.....	10
4.3 LDZ Shrinkage Reconciliation Quantities.....	11
4.4 Financial Adjustment.....	11
5. Leakage Volume (LVt) and Shrinkage Volume (ASVt).....	13
5.1 Introduction.....	13
5.2. LVt and ASVt for the 2020/21 Formula Year.....	14

# Assessment & Adjustment


## 1 April 2020 – 31 March 2021

### 1. Executive Summary

This document presents an assessment of LDZ Shrinkage for the period 1 April 2020 – 31 March 2021, in accordance with Uniform Network Code Section N 3.3. In addition, this report provides notification of leakage and shrinkage volumes to be used for incentive purposes as required by Special Condition 1F.14 of the Gas Transporter licence.

Cadent's Final LDZ Shrinkage Quantity Proposal for the Formula Year 2020/21, issued 20 Feb 2020, proposed individual LDZ Shrinkage Quantities equating to a total annual Shrinkage Quantity of 1,139.1 GWh. The Final Proposal for the Formula Year 2020/21 was not subject to Standard Special Condition A11 (18) disapproval and, as a result, the proposed LDZ Shrinkage Quantities were applied in accordance with Uniform Network Code Section N 3.1.8.

LDZ Shrinkage Quantities are comprised of three main components:



- Leakage, with individual quantities being calculated at LDZ level;
- Own Use Gas, with a single factor of forecast annual throughput being applied across all LDZs; and
- Theft of Gas, which is gas stolen upstream of the meter with a single factor of forecast annual throughput being applied across all LDZs.

The assessment of LDZ Shrinkage for the Formula Year 2020/21 detailed within the document provides, where applicable, the reasons for any significant variance between the estimated and the assessed LDZ Shrinkage Quantities for the period.

The assessment of LDZ Shrinkage (1,120.0 GWh) is 18.2 GWh (1.6%) lower than the volume of Shrinkage purchased. The leakage assessment resulted in calculated leakage volume of 1,038.5 GWh, which is 14.2 GWh (1.35%) lower than originally estimated.

In addition to a decrease in leakage there was an decrease of 4.0 GWh in the assessed volumes for Own Use Gas and Theft of Gas.

The assessed Shrinkage volume is lower than the estimated volume, we will therefore recover monies to the value of £193,768.27 from Shippers and a further amount of £5,975.55 for Commodity Charges.

The Leakage Volume (LVt) and Actual Shrinkage Volume (ASVt) to be used for incentive revenue purposes for 2020/21 are 1,038.9 GWh and 1,121.4 GWh, respectively. The values used for incentive purposes are calculated using the calorific value assumptions that underpin the incentive baseline targets, thus avoiding potential windfall gains or losses arising from variations in outturn calorific values.

# Assessment & Adjustment

## 1 April 2020 – 31 March 2021

### 2. Shrinkage Quantity Assessment

#### 2.1 Leakage

LDZ specific Shrinkage Quantities for 2020/21 were proposed based on an assessment of leakage with the anticipated mains replacement being taken into account, leading to an assumed procurement of 1,053 GWh for leakage.

#### 2.1.1 Assessment of 2020/21 Leakage

Cadent applied v1.4 of the Leakage Model to carry out the assessment of leakage. Table 1 below shows that assessed leakage varies to the 2020/21 proposals by 14.2 GWh.

	ESTIMATED LEAKAGE (GWh)	ASSESSED LEAKAGE (GWh)	DIFFERENCE (GWh)
EAST ANGLIA	178.2	175.5	-2.7
EAST MIDLANDS	183.7	185.6	1.9
NORTH LONDON	183.6	184.0	0.3
NORTH WEST	266.4	257.0	-9.4
WEST MIDLANDS	240.0	236.5	-4.4
CADENT	1,052.7	1,038.5	-14.2

Table 1. Estimated and Assessed Leakage Energy by LDZ for 2020/21

#### 2.1.2 Differences between Estimated and Assessed Leakage

The estimation of leakage is based on reasoned forecast expectations for each of the components that determine final assessment volumes. Cadent are committed to ensuring that the forecast is as accurate as possible, this is beneficial to our customers because it reduces the size of two year lagged financial true ups against allowed levels of cost.

#### 2.2 Own Use Gas

Own Use Gas is gas used within the LDZ for such purposes as pre-heater fuel and for other minor operational purposes. Pre-heating is required to counter the impact of gas freezing during depressurisation.

The volumes procured in 2020/21 in respect of Own Use Gas were based on the application of the standard factor (0.0113% of consumption) to our 2020/21 demand forecast. The actual demand in 2020/21 was lower than that used for the forecast calculation, the impact of this is a difference between estimated and assessed volumes 1.5 GWh.

	ESTIMATED 2020/21 CONSUMPTION (GWh)	2020/21 ACTUAL CONSUMPTION (GWh)	ESTIMATED OUG (GWh)	ASSESSED OUG (GWh)	ADJUSTMENT (GWh)
EAST ANGLIA	45,286.0	42,369.0	5.1	4.8	-0.3
EAST MIDLANDS	59,266.0	57,246.9	6.7	6.5	-0.2
NORTH LONDON	54,404.0	50,310.3	6.1	5.7	-0.5
NORTH WEST	70,152.0	68,220.6	7.9	7.7	-0.2
WEST MIDLANDS	47,078.0	45,206.5	5.3	5.1	-0.2
CADENT	276,176.0	263,353.4	31.2	29.8	-1.5

Table 2. Assessment of OUG (0.0113% of Consumption)

## 2.3 Theft of Gas

Uniform Network Code Section N1.4.2 states that “LDZ Shrinkage shall include gas lost through theft either upstream of the customer control valve or downstream where there is no shipper serving the gas customer”.

The volumes procured in 2020/21 in respect of Theft of Gas (TOG) were based on the application of the standard factor (0.02% of consumption) to our 2020/21 demand forecast. The impact of the difference in demand between estimated and assessed gives a volume difference of 2.6 GWh.

	ESTIMATED 2019/20 CONSUMPTION (GWh)	2019/20 ACTUAL CONSUMPTION (GWh)	ESTIMATED TOG (GWh)	ASSESSED TOG (GWh)	ADJUSTMENT (GWh)
EAST ANGLIA	45,286.0	42,369.0	9.1	8.5	-0.6
EAST MIDLANDS	59,266.0	57,246.9	11.9	11.4	-0.4
NORTH LONDON	54,404.0	50,310.3	10.9	10.1	-0.8
NORTH WEST	70,152.0	68,220.6	14.0	13.6	-0.4
WEST MIDLANDS	47,078.0	45,206.5	9.4	9.0	-0.4
CADENT	276,176.0	263,353.4	55.2	52.7	-2.6

Table 3. Assessment of TOG (0.02% of Consumption)

## 2.4 LDZ Specific Shrinkage Quantities

Cadent initially proposed LDZ specific Shrinkage Quantities for the formula year 2020/21 in December 2019, with the same quantities again being included within the Final Proposal. Cadent's proposal was not subject to Ofgem disapproval under Standard Special Condition A11 (18), with the proposed LDZ specific Shrinkage Quantities being applied with effect from the 1 April 2020. The applied LDZ Shrinkage Quantities are shown in table 4 below, along with the Assessed LDZ specific Shrinkage Quantities.

	APPLIED QUANTITIES (GWh)	ASSESSED QUANTITIES (GWh)	DIFFERENCE (GWh)	DIFFERENCE (kWh/day)
EAST ANGLIA	192.3	188.7	-3.6	-9,883
EAST MIDLANDS	202.2	203.5	1.3	3,552
NORTH LONDON	200.6	199.7	-0.9	-2,584
NORTH WEST	288.3	278.3	-10.0	-27,367
WEST MIDLANDS	255.6	250.7	-5.0	-13,563
CADENT	1,139.1	1,121.0	-18.2	-49,845

Table 4. LDZ Specific Shrinkage Quantities (GWh)

### 2.4.1 Reasons for Differences

The difference between Cadent's forecast projection and the actual outturn volumes are small (1.6%). There is marginal impact from lower than forecasted demand levels, which impact Own Use Gas and Theft of Gas. The difference to the Leakage Volumes is due to differences in forecast assumptions against actual performance in the areas of Mains Replacement, Average System Pressures and MEG Treatment. System Pressures were better than our estimates, we forecast using conservative estimates which would than offset any negative performance from factors outside of our control (for example bad weather over winter periods which cannot be forecasted with certainty).

# Assessment & Adjustment

## 1 April 2020 – 31 March 2021

### 3. Shrinkage Adjustment

#### 3.1 Introduction

This section advises Shippers of the Shrinkage Adjustment for Cadent operated LDZs for the period 1 April 2020 to 31 March 2021, as referred to in Network Code Section N3.4.1.

#### 3.2 LDZ Shrinkage Reconciliation Calculations

The LDZ Shrinkage Reconciliation Quantity (SLRQ) is calculated as the difference between the Assessed and Procured LDZ Shrinkage Quantities. This reconciliation quantity is the amount that Cadent has over or under procured.

Therefore, for each LDZ:

$$S_{LRQ} = (S_{LAQ} - S_{LPQ})$$

Where  $S_{LRQ}$  = Reconciliation LDZ specific Daily Shrinkage Quantity (kWh)  
 $S_{LAQ}$  = Assessed LDZ specific Daily Shrinkage Quantity (kWh)  
 $S_{LPQ}$  = Procured LDZ specific Daily Shrinkage Quantity (kWh)

Table 5 below, shows the LDZ Reconciliation Quantities for the Shrinkage Adjustment for the period 1 April 2020 to 31 March 2021.

	LDZ RECONCILIATION QUANTITY (kWh/day)
EAST ANGLIA	-9,883
EAST MIDLANDS	3,552
NORTH LONDON	-2,584
NORTH WEST	-27,367
WEST MIDLANDS	-13,563
CADENT	-49,845

Table 5. LDZ Shrinkage Reconciliation Quantity (kWh/day)



### 3.3 Energy Financial Adjustment

The Financial Adjustment (FA) due to Cadent for Energy (cost of the gas) is calculated as shown below:

$$FA(\pounds) = \sum_{01/04/20}^{31/03/21} S_{LRQ}(kWh) \times SAP(p/kWh) / 100$$

Where  $FA(\pounds)$  = Financial Adjustment

$S_{LRQ}(kWh)$  = LDZ Shrinkage Reconciliation Quantity

$SAP$  = Daily System Average Price for the period

The allocation of any charge or credit to Shippers resulting from the Adjustment process is achieved by calculating the energy adjustment on a daily basis, multiplying this by the daily system average price, summing this by LDZ by month and apportioning this by the relevant Shipper affected portfolio in each LDZ for each month.

Table 6 below, shows the financial adjustment by LDZ for the period 1 April 2020 to 31 March 2021, calculated on a daily basis in line with the methodology indicated above.

	LDZ SHRINKAGE DAILY RECONCILIATION QUANTITY (kWh)	ADJUSTMENT VALUE DUE TO CHANGES TO SHRINKAGE QUANTITIES
EAST ANGLIA	-9,883	£-38,419.28
EAST MIDLANDS	3,552	£13,809.95
NORTH LONDON	-2,584	£-10,045.55
NORTH WEST	-27,367	£-106,388.05
WEST MIDLANDS	-13,563	£-52,725.35
CADENT	-49,845	£-193,768.27

**Table 6. LDZ Shrinkage Reconciliation for the period 1 April 2020 to 31 March 2021**

The assessed Shrinkage volume is lower than the estimated volume therefore we will recover monies to the value of £193,768.27 from Shippers and a further amount of £5,975.55 for Commodity Charges.

# Assessment & Adjustment

## 1 April 2020 – 31 March 2021

### 4. Shrinkage Commodity Charge

---

#### 4.1 Introduction

This section advises Shippers of the Commodity Charge associated with the Cadent operated LDZ Shrinkage Adjustment for the period 1 April 2020 to 31 March 2021.

#### 4.2 Applicable Commodity Charges

Table 7 below, shows the Commodity Charges that applied over the period 1 April 2020 to 31 March 2021.

		PERIOD OF APPLICATION	
		01/04/2020 to 30/09/2020	01/10/2020 to 31/03/2021
<b>LDZ SYSTEM COMMODITY CHARGE (p/kWh)</b>	<b>EAST ANGLIA</b>	0.0287	0.0287
	<b>EAST MIDLANDS</b>	0.0287	0.0287
	<b>NORTH LONDON</b>	0.0331	0.0331
	<b>NORTH WEST</b>	0.0339	0.0339
	<b>WEST MIDLANDS</b>	0.0326	0.0326

Table 7. Applicable Commodity Charges 1 April 2020 to 31 March 2021



## 4.3 LDZ Shrinkage Reconciliation Quantities

Table 8 below, shows the total LDZ Shrinkage Reconciliation Quantities (LRQ) for each LDZ for each period of differing Commodity Charge.

	TOTAL OVER PERIOD	01/04/2020 to 30/09/2020	01/10/2020 to 31/03/2021
EAST ANGLIA	-3,607,312	-1,808,598	-1,798,714
EAST MIDLANDS	1,296,662	650,107	646,555
NORTH LONDON	-943,210	-472,897	-470,313
NORTH WEST	-9,989,124	-5,008,246	-4,980,878
WEST MIDLANDS	-4,950,556	-2,482,060	-2,468,496
CADENT	-18,193,539	-9,121,692	-9,071,847

Table 8. LDZ Shrinkage Reconciliation Quantities (kWh)

## 4.4 Financial Adjustment

The financial adjustment (FA) due for Commodity Charge reconciliation is calculated as a sum for each LDZ, as shown below.

$$\sum_{EA}^{WM} FA_{cc}(\pounds) = \sum_{01/04/20}^{30/09/20} LRQ(kWh) \times CC_1(\pounds / kWh) + \sum_{01/10/20}^{31/03/21} LRQ(kWh) \times CC_2(\pounds / kWh)$$

Where:  $FA_{cc}(\pounds)$  = Financial Adjustment associated with the Commodity Charge

$LRQ(kWh)$  = LDZ Shrinkage Reconciliation Quantity

$CC_1(\pounds/kWh)$  = Commodity Charge applicable to the period 1 April 2020 to 30 September 2020

$CC_2(\pounds/kWh)$  = Commodity Charge applicable to the period 1 October 2020 to 31 March 2021

Table 9 below, shows the financial adjustment, calculated on a daily basis in line with the methodology indicated above.

TRANSPORTATION CHARGES					
	TOTAL VOLUME (kWh)		TOTAL ADJUSTMENT		ASSESSMENT PERIOD
	PRICING PERIOD		PRICING PERIOD		
	01/04/2020 to 30/09/2020	01/10/2020 to 31/03/2021	01/04/2020 to 30/09/2020	01/10/2020 to 31/03/2021	
<b>EAST ANGLIA</b>	-1,808,598	-1,798,714	-£519.07	-£516.23	-£1,035.30
<b>EAST MIDLANDS</b>	650,107	646,555	£186.58	£185.56	£372.14
<b>NORTH LONDON</b>	-472,897	-470,313	-£156.53	-£155.67	-£312.20
<b>NORTH WEST</b>	-5,008,246	-4,980,878	-£1,697.80	-£1,688.52	-£3,386.31
<b>WEST MIDLANDS</b>	-2,482,060	-2,468,496	-£809.15	-£804.73	-£1,613.88
<b>CADENT</b>	-9,121,692	-9,071,847	-£2,995.96	-£2,979.59	-£5,975.55

**Table 9. Financial Adjustment by LDZ for the period 1 April 2020 to 31 March 2021**

The overall financial value for the Commodity Charge Adjustment is therefore £5,975.55, a recovery of monies from Domestic Shippers.

# Assessment & Adjustment

## 1 April 2020 – 31 March 2021

### 5. Leakage Volume (LVt) and Shrinkage Volume (ASVt)

---

#### 5.1 Introduction

This section provides the LVt and ASVt values to be used for revenue incentive calculations.

Special Condition 1F.14 of the Gas Transporter licence requires that “The Licensee must, by 31 July in each Formula Year, make publicly available and provide to the Authority a report that sets out the actual Leakage volume (LVt) and actual Shrinkage volume (ASVt) as calculated in accordance with the Shrinkage and Leakage Model for each Distribution Network for the preceding Formula Year.”

Shrinkage and Leakage volumes used for incentive purpose are calculated using the same calorific value assumptions used to determine the Shrinkage and Leakage Incentive volume allowances provided in Appendix 2 and Appendix 3 of Special Condition 1F.14 of the Gas Transporter licence. This is to avoid potential windfall gains and losses arising as a result of outturn calorific values, which are out of the control of the GDNs, being different from those underpinning the incentive targets.

## 5.2. LVt and ASVt for the 2020/21 Formula Year

Table 10 provides the LVt and ASVt values for the 2020/21 formula year by LDZ and indicates the calorific value assumptions used to calculate these.

	LEAKAGE VOLUME (LVt)	OUG	TOG	SHRINKAGE VOLUME (ASVt)	ASSUMED CALORIFIC VALUE (MJ/m <sup>3</sup> )
EAST ANGLIA	176.2	4.8	8.5	189.4	39.26
EAST MIDLANDS	186.2	6.5	11.4	204.1	39.35
NORTH LONDON	184.3	5.7	10.1	200.0	39.28
NORTH WEST	255.5	7.7	13.6	276.9	39.43
WEST MIDLANDS	236.8	5.1	9.0	250.9	39.26
CADENT	1,038.9	29.8	52.7	1,121.4	39.31

Table 10. 2020/21 LDZ LVt and ASVt (GWh)

Table 11 below provides the LVt and ASVt values for the 2020/21 formula year by Network.

	LEAKAGE VOLUME (LVt)	SHRINKAGE VOLUME (ASVt)
EAST of ENGLAND	362.4	393.5
NORTH LONDON	184.3	200.0
NORTH WEST	255.5	276.9
WEST MIDLANDS	236.8	250.9
CADENT	1,038.9	1,121.4

Table 11. 2020/21 Network LVt and ASVt (GWh)