

**NOTICE OF IMPLEMENTATION
MODIFICATION PROPOSAL No: 0079**

"Removal of obligation to Notify Meter Reader during Nomination or Confirmation activity as defined in paragraphs G 2.3.2 and G 2.6.1"

Please note that Modification Proposal No 0079 will be implemented with effect from 06:00 hours on 11/07/2006. The Final Modification Report, Version 2.0, was signed by Ofgem on 10/07/2006.

The new Code text resulting from this Modification follows.

Modified Text:

**UNC - TPD
SECTION G**

Amend paragraph 2.3.2(f) to read as follows: -

2.3.2 A Supply Point Nomination which is a Supply Point Commodity Rate Renomination shall comply with the provisions of paragraph 2.3.9 and any other Supply Point Nomination shall specify:

- (a) the identity of the Proposing User;
- (b) whether the Proposed Supply Point is a Current Supply Point or a New Supply Point, and in the case of a New Supply Point a description of the basis on which the Single Premises Requirement is satisfied;
- (c) the Supply Meter Point Reference Number in respect of:
 - (i) in the case of a Current Larger Supply Point, either one or all of the Supply Meter Points comprised in the Proposed Supply Point; or
 - (ii) in the case of a New Supply Point, all of the Supply Meter Points comprised in the Proposed Supply Point;
- (d) the Meter Post Code in respect of each Supply Meter Point for which the Supply Meter Point Reference Number is specified under paragraph (c);
- (e) where the Proposed Supply Point includes one or more DM Supply Meter Points, the proposed Supply Point Capacity and proposed Supply Point Offtake Rate in respect of the DM Supply Point Component, in compliance with the requirements of paragraph 5;
- (f) where the Proposed Supply Point includes an NDM Supply Meter Point: and where the Annual Quantity of the NDM Supply Point Component is less than 293,000 kWh (10,000 therms) but in excess of 73,200 kWh (2,500 therms), whether the relevant Supply Meters are proposed to be a Monthly Read Meter;
 - ~~(i) the proposed Meter Reader; and~~
 - ~~(ii) where the Annual Quantity of the NDM Supply Point Component is less than 293,000 kWh (10,000 therms) but in excess of 73,200 kWh (2,500 therms), whether the relevant Supply Meters are proposed to be a Monthly Read Meter;~~

0079: "Removal of obligation to Notify Meter Reader during Nomination or Confirmation activity as defined in paragraphs G 2.3.2 and G 2.6.1"

- (g) the Supply Meter Point Reference Number of any Supply Meter Point comprised in the Proposed Supply Point which is to become or (as the case may be) ceased to be a DM Supply Meter Point; and
- (h) any other details which are required to be specified in any particular case pursuant to any provision of this Section G; or
- (i) where a User wishes to apply for the NTS Optional Commodity Rate at an Eligible Exit Point, the Specified Exit Point and the Specified Entry Point; or
- (j) where a User wishes to apply for the LDZ Optional Capacity Rate, the LDZ Specified Exit Point.

Amend paragraph 2.6.1(d) to read as follows: -

2.6 Supply Point Confirmations: Smaller Supply Points

2.6.1 A Supply Point Confirmation in respect of a Smaller Supply Point shall specify:

- (a) the identity of the Proposing User;
- (b) the Supply Meter Point Reference Number in respect of one Supply Meter Point comprised in the Proposed Supply Point, and the Meter Post Code of such Supply Meter Point;
- (c) the Proposed Supply Point Registration Date; and
- (d) the proposed Meter Reading Frequency ~~and Meter Reader.~~

Yours sincerely,

Julian Majdanski
Modification Panel Secretary