

## Representation

### Draft Modification Report

#### **0392: Proposal to amend Annex A of the CSEP NExA table, by replacing the current version of the AQ table**

**Consultation close out date:** 16 November 2011  
**Respond to:** enquiries@gasgovernance.co.uk  
**Organisation:** **E.ON UK**  
**Representative:** Brian Durber  
**Date of Representation:** 16 November 2011

#### **Do you support or oppose implementation?**

Support

#### **Please summarise (in one paragraph) the key reason(s) for your support/opposition.**

AQs that reflect prevailing usage are essential in ensuring accurate estimation of gas volumes off-taken at the CSEP and so enabling appropriate allocation of costs to Shippers.

There has been no change to the CSEP NExA table values since 2006. Ongoing improvements to property insulation values and standards would suggest that a revision is necessary. Outputs from the IGT workgroup 030 support this view and demonstrate that the AQ values have moved to such a level that the current table requires updating with more accurate information.

#### **Are there any new or additional issues that you believe should be recorded in the Modification Report?**

#### **Relevant Objectives:**

*How would implementation of this modification impact the relevant objectives?*

#### **Impacts and Costs:**

*What analysis, development and ongoing costs would you face if this modification were implemented?*

0392

Representation

16 November 2011

Version 1.0

Page 1 of 2

© 2011 all rights reserved

**Implementation:**

*What lead-time would you wish to see prior to this modification being implemented, and why?*

**Legal Text:**

*Are you satisfied that no legal text is required to deliver the intent of the modification?*

**Is there anything further you wish to be taken into account?**

*Please provide any additional comments, supporting analysis, or other information that that you believe should be taken into account or you wish to emphasise.*