

Workgroup Terms of Reference

0392 - Proposal to amend Annex A of the CSEP NExA table, by replacing the current version of the AQ table

Date referred from Panel:

18 August 2011

Background – Why Change?

Please refer to Modification 0392 at www.gasgovernance.co.uk/0392

Solution

It is proposed to bring the UNC in line with the CSEP NExA table agreed in Workgroup IGT030:

Replace existing CSEP NExA Table with Revised version below

Band	House Type	South SW, NT, WS, SO		Average WN, SE, NW, EA,		North NO, SC	
		AQ (kWh)	Number	AQ (kWh)	Number	AQ (kWh)	Number
A	1 Bed	6,473	12,167	7,022	14,210	7,718	3,167
B	2BF, 2BT	7,989	54,965	8,383	82,049	8,684	32,705
C	2BD, 3BT	10,776	37,236	11,304	76,964	11,372	17,821
D	3BS, 2BB	11,748	39,182	12,221	93,752	12,596	21,069
E	3BD, 3BB	13,429	20,549	14,468	51,950	16,276	24,883
F	4D, 4BT, 4E	16,256	60,393	17,655	158,584	19,296	53,089
G	5D, 5BS, 6E	22,644	8,799	24,423	23,175	25,606	6,169

Topics for Discussion

- Understanding the objective
- Assessment of alternative means to achieve objective
- Development of Solution (including business rules if appropriate)
- Assessment of potential impacts of the modification
- Assessment of implementation costs
- Assessment of legal text
- Clarification of the rationale for proposed changes (and indicate from and to)
- Consideration of the effect on the information contained within the table in UNC TPD G3.

0392

Terms of Reference

22 August 2011

Version 1.0

Page 1 of 2

© 2011 all rights reserved

Outputs

Produce a Workgroup Report for submission to the Modification Panel, containing the assessment and recommendations of the Workgroup.

Composition of Workgroup

The Workgroup is open to any party that wishes to attend or participate.

A Workgroup meeting will be quorate provided at least two Transporter and two User representatives are present.

Meeting Arrangements

Meetings will be administered by the Joint Office and conducted in accordance with the Code Administration Code of Practice