

## Stage 03: Draft Modification Report

# 0433S:

## Inclusion of the Transmission to Distribution "System Operator Agreement Guidelines" within the Offtake Arrangements Document.

With the termination of the System Operator Managed Service Agreement (SOMSA), there is a requirement for enduring arrangements between the Transmission System Operator and the Distribution System Operators. These arrangements are set out in a document: "*Transmission System Operator to Distribution System Operator Agreement Guidelines*". This modification, if implemented, would add this document to the Offtake Subsidiary Documents within Section N of the Offtake Arrangements Document (OAD), which will allow for any ongoing governance requirements. Additionally, it is proposed to remove the existing references to SOMSA because the agreement is no longer in place.



Responses invited by 07 June 2013.



High Impact: -




Medium Impact: -



Low Impact: On Transporters

At what stage is this document in the process?



0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 1 of 33

© 2013 all rights reserved

## Contents

1	Summary	3
2	Why Change?	4
3	Solution	4
4	Relevant Objectives	5
5	Implementation	6
6	Legal Text	8
7	Recommendation	10

## About this document:

This Draft Modification Report is issued for consultation responses, at the request of the Panel on 16 May 2013. All parties are invited to consider whether they wish to submit views regarding this self-governance modification.

The close-out date for responses is 07 June 2013, which should be sent to [enquiries@gasgovernance.co.uk](mailto:enquiries@gasgovernance.co.uk). A response template, which you may wish to use, is at [www.gasgovernance.co.uk/0433](http://www.gasgovernance.co.uk/0433)

The Panel will consider the responses and agree whether or not this self-governance modification should be made.



Contact:  
**Code Administrator**



**enquiries@gasgovernance.co.uk**



**0121 288 2107**

**Proposer:**

Alison Chamberlain



**[alison.chamberlain@nationalgrid.com](mailto:alison.chamberlain@nationalgrid.com)**



**01926 653994**

**Licence Holder:**

National Grid Gas  
Distribution

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 2 of 33

© 2013 all rights reserved

# 1 Summary

## Is this a Self-Governance Modification?

The Modification Panel determined that this is a self-governance modification.

## Why Change?

Whilst this document: “Transmission System Operator to Distribution System Operator Agreement Guidelines” and the arrangements within it may exist without this modification, the visibility and additional governance afforded to it by the nature of its inclusion within the Offtake Arrangement Document (OAD), are deemed to be appropriate by the parties involved in its inception. To avoid confusion it is also appropriate to remove references to ‘System Operator Managed Service Agreement’ (SOMSA) because this agreement is no longer in place.

## Solution

The Transmission System Operator (NTS) to Distribution System Operator (DNOs) Agreement Guidelines have been created to detail the arrangements and clarify the responsibilities on parties in order to fulfil the processes defined within the document.

This document covers the processes associated with information sharing between the Parties’ IS systems and creates the agreements that will govern the transfer of any such data and the processes by which the appropriate support is provided to ensure that all data that is required by impacted Parties is maintained effectively. It is proposed that this document be included as an OAD Subsidiary Document within the Offtake Arrangements Document which details the governance for amendments to such an agreement. It is also proposed that any references to SOMSA be removed.

## Relevant Objectives

There is little impact associated with adopting these guidelines under the governance of the Offtake Arrangements Document. The obligated or agreed information flows/data transfers have been developed and allowed for by the affected parties.

Minor costs are associated with updating the scripts for each Transporter’s IS reporting help line.

## Implementation

As Self-Governance procedures are proposed, implementation could be sixteen business days after a Panel decision to implement (subject to no Appeal being raised).

## The Case for Change

The visibility afforded to this document via its addition to the UNC (as an OAD Subsidiary Document) would be useful for parties to the UNC and helps to embed the principles of good governance. The suggested governance arrangements will provide a proportionate and effective means of managing changes without the need to overburden unaffected parties. This has the potential to reduce costs and facilitate faster implementation of change proposals. Therefore, this modification is consistent with the promotion of GT Licence Relevant Objective A11.1 (f) ...the promotion of efficiency in the implementation and administration of the network code and /or the uniform network code.

## 2 Why Change?

The Enduring Distribution Networks Arrangements (EDNA) Project Team was established by UNC Transporters to discuss what arrangements were required to manage the interface arrangements between the Transmission and the Distribution Network Operator systems post System Operator Managed Service Agreement (SOMSA).

With the termination of SOMSA there remain a number of areas where the “National Grid Transmission System Operator” and a “Distribution System Operator” will need to share information and provide mutual support to allow the efficient and safe operation of the combined network. The EDNA project team developed: “Transmission System Operator to Distribution System Operator Agreement Guidelines”.

Whilst these Guidelines exist without a requirement for this modification, the visibility and additional governance (afforded to them by their inclusion within the Offtake Arrangement Document) are deemed to be appropriate by the parties involved in their inception. The Guidelines themselves will add more detail to the statements within the

OAD, e.g. OAD states that a SCADA-SCADA link will be used; the Agreement Guidelines detail how faults and outages to the link, etc will be managed.

It also seems logical to review, amend and remove, where appropriate, the existing references to SOMSA in the OAD. The references to SOMSA in the Offtake Communications Document will not be dealt with as part of this modification because the Offtake Communications Document, which is itself an Offtake Subsidiary Document, is subject to a different modification procedure as per OAD Section N.



---

### What is an OAD Subsidiary Document?

---

It is a document set out in OAD Section N 1.2. This allows for the governance of these documents to come under the jurisdiction of the Offtake Committee.

## 3 Solution

It is proposed to add the Transmission System Operator to Distribution System Operator Agreement Guidelines to the Offtake Subsidiary Documents within OAD Section N 1.2 which will allow for any ongoing governance including any future modification requirements to come under the jurisdiction of the Offtake Committee. This is appropriate given that the Offtake Committee is comprised of the Transporters’ representatives on the Uniform Network Code Committee (or their authorised representatives) and this document is likely to be of interest specifically to Transporters. It is proposed that the version of the Guidelines provided as an appendix to this modification become the initial version on the date that this modification is implemented.

It is also proposed to:

- Remove the references to SOMSA in OAD Section N 7.1.6
- Remove the whole of the provision M 2.2.4
- Remove Section E3.

## 4 Relevant Objectives

### Impact of the modification on the **Relevant Objectives**:

Relevant Objective	Identified impact
a) Efficient and economic operation of the pipe-line system.	None
b) Coordinated, efficient and economic operation of (i) the combined pipe-line system, and/ or (ii) the pipe-line system of one or more other relevant gas transporters.	None
c) Efficient discharge of the licensee's obligations.	None
d) Securing of effective competition: (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers.	None
e) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards... are satisfied as respects the availability of gas to their domestic customers.	None
f) Promotion of efficiency in the implementation and administration of the Code.	Positive
g) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.	None

### **f) Promotion of efficiency in the implementation and administration of the Code :**

The visibility afforded to this document via its addition to the UNC (as an OAD Subsidiary Document) would be useful for parties to the UNC and helps to embed the principles of good governance. The suggested governance arrangements will provide a proportionate and effective means of managing changes without the need to overburden unaffected parties. This has the potential to reduce costs and facilitate faster implementation of change proposals.

## 5 Impacts and Costs

### Consideration of Wider Industry Impacts

It is not anticipated that this modification will have any impact on wider industry arrangements.

### Costs

Minor costs are associated with updating the scripts for each Transporter's IS reporting help line.

Indicative industry costs – User Pays	
Classification of the modification as User Pays or not and justification for classification	
This is not proposed to be a User Pays modification. The inclusion of the Guidelines into the Offtake Subsidiary Documents within OAD Section N 1.2 will not create any additional industry costs. Any costs incurred in the development of the document have already been allowed for by the Parties.	
Identification of Users, proposed split of the recovery between Gas Transporters and Users for User Pays costs and justification	
N/A	
Proposed charge(s) for application of Users Pays charges to Shippers	
N/A	
Proposed charge for inclusion in ACS – to be completed upon receipt of cost estimate from Xoserve	
N/A	

### Impacts

Impact on Transporters' Systems and Process	
Transporters' System/Process	Potential impact
Operational Processes	<ul style="list-style-type: none"> <li>Some changes have been made to processes as a result of the adoption of this document however there will be no additional implications as a result of the guidelines being included within OAD.</li> </ul>

Impact on Transporters	
Area of Transporters' business	Potential impact
System operation	<ul style="list-style-type: none"> <li>This document applies to the System operation processes associated with information sharing between the IS systems of NTS and DNOs and creates the agreements that will govern the transfer of any such data and the processes by which the appropriate support is provided to ensure that all data that is required by impacted Parties is maintained effectively.</li> </ul>

Impact on Transporters	
Development, capital and operating costs	<ul style="list-style-type: none"> <li>Any costs incurred in the development of this document have already been allowed for by the Parties. No significant costs are anticipated.</li> </ul>
Legislative, regulatory and contractual obligations and relationships	<ul style="list-style-type: none"> <li>Providing formal arrangements for the adoption and change management of this document will have a positive impact on this aspect of a Transporter's business.</li> </ul>

Impact on Code Administration	
Area of Code Administration	Potential impact
UNC Committees	<ul style="list-style-type: none"> <li>Introduces a new document under the remit of the Offtake Committee.</li> </ul>

Impact on Code	
Code section	Potential impact
OAD Section N 1.2	<ul style="list-style-type: none"> <li>Introduction of a new Offtake Subsidiary Document</li> </ul>
<ul style="list-style-type: none"> <li>OAD Section N 7.1.6</li> <li>OAD Section M 2.2.4</li> <li>OAD Section E 3</li> </ul>	<ul style="list-style-type: none"> <li>Remove the references to SOMSA</li> <li>Remove the whole of the provision</li> <li>Remove</li> </ul>

Other Impacts	
Item impacted	Potential impact
Industry fragmentation	<ul style="list-style-type: none"> <li>This document has been adopted by NTS and the DNOs, which helps to provide a consistent approach and consequently has a positive impact in relation to avoiding industry fragmentation.</li> </ul>

## 6 Implementation

As self-governance procedures are proposed, implementation could be sixteen business days after a Modification Panel decision to implement.

## 7 The Case for Change

No additional advantages or disadvantages were identified.

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 7 of 33

© 2013 all rights reserved

## 8 Legal Text

### Text

The following Legal Text has been considered by the Workgroup.

#### UNIFORM NETWORK CODE – OFFTAKE ARRANGEMENTS DOCUMENT

*Amend OAD Section E (Telemetry, etc) paragraph 3 as follows:*

#### **3 Transitional Provisions – ~~Not Used~~**

##### ~~3.1 SOMSA~~

~~3.1.1 The provisions of this paragraph 3 shall apply where and for so long as a System Operation Managed Service Agreement ("SOMSA") is in force between National Grid Gas plc (as manager) and a DNO in relation to an LDZ.~~

~~3.1.2 The Parties acknowledge that, by virtue of the SOMSA, National Grid NTS will have access to and the use of telemetry (including telemetry facilities) in relation to each Offtake, which will meet its requirements as reflected in this Section E.~~

~~3.1.3 The DNO agrees that (notwithstanding the provisions of the SOMSA) National Grid NTS may access and use the telemetry pursuant to the SOMSA in its capacity as National Grid NTS under this Document and for the purposes for which National Grid NTS would use telemetry under this Document, as well as in its capacity of manager under the SOMSA.~~

~~3.1.4 The DNO undertakes to National Grid NTS, for the purposes of this Document, to comply with the provisions of the SOMSA in relation to telemetry.~~

~~3.1.5 For so long as the SOMSA remains in force, subject to paragraphs 3.1.6 and 3.2, the provisions of paragraph 2 shall not apply either to the DNO or to National Grid NTS in relation to any NTS/LDZ Offtake to that LDZ.~~

~~3.1.6 Notwithstanding paragraph 3.1.5:~~

~~(a) this paragraph 2 shall apply in relation to any new Offtake established on or after the date of this Document; and~~

~~(b) paragraph 2.5 shall apply as if references to the Telemetry Connection Facilities were to the telemetry facilities to be provided by the DNO pursuant to the SOMSA.~~

##### ~~3.2 Expiry or termination of SOMSA~~

~~3.2.1 The DNO shall at its cost, in good time before the expiry or (pursuant to any provision thereof) termination of the SOMSA (and in any event in accordance with any reasonable request to that effect from National Grid NTS), in relation to each Offtake serving the relevant LDZ:~~

~~(a) consult with National Grid NTS so as to establish an agreed process and timetable for the works in paragraphs 3.2.1(b) to (d) (or such alternative works or arrangements as may be agreed by the Parties to ensure that National Grid NTS' requirements for telemetry in accordance with paragraph 2 are satisfied);~~

~~(b) ensure that the Telemetry Connection Facilities (including connection facilities as provided in paragraph 2.1.2) are installed or modified; and~~

~~(c) allow National Grid NTS (at its cost) to install, commission and test the NTS Telemetry Facilities; so as to enable the DNO to be fully in compliance with its obligations under this Section E by not later than the effective date of expiry or termination of the SOMSA.~~

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 8 of 33

© 2013 all rights reserved



~~3.2.2 The Parties shall cooperate in the commissioning and testing of the Telemetry Connection Facilities and the NTS Telemetry Facilities so as to ensure their mutual compatibility and operability.~~

*Amend OAD Section M (Information Flow) paragraph 2.2.4 as follows:*

~~2.2.4 The Offtake Communications Document may provide that, while there is a System Operation Managed Service Agreement (SOMSA) in force between National Grid NTS and a DNO, particular information is treated as having been given or received by either such Party by virtue of that Agreement.~~

*Amend OAD Section N (General) paragraph 1.2.1 as follows:*

1.2.1 In this Document, "**Offtake Subsidiary Document**" means each of the following documents:

- (a) the SCO Interface Procedures (referred to in Section C3);
- (b) the Offtake Communications Document (referred to in Section M);
- (c) the Validation Procedures (referred to in Section D3);
- (d) the Emergency Procedures E2 (referred to in Section C2.3);
- (e) the document TD76 (referred to in Section H1.3.1);
- (f) [the Transmission System Operator to Distribution System Operator Agreement Guidelines \(referred to in Section N9\)](#);
- (g) any other document which may be specified or may be agreed by the Parties to be a Offtake Subsidiary Document.

*Amend OAD Section N (General) paragraph 7.1.6 as follows:*

7.1.6 In the event of any conflict between this paragraph 7.1 and any provision of the Agency Services Agreement [or](#), Joint Governance Arrangements Agreement ~~or SOMSA~~, the relevant provision of the Agency Services Agreement [or](#), Joint Governance Agreement ~~or SOMSA~~ shall prevail.

*Insert new paragraph 9 into OAD Section N (General) as follows:*

## [9 Transmission System Operator to Distribution System Operator Agreement Guidelines](#)

### [9.1 Introduction](#)

[9.1.1 The "Transmission System Operator to Distribution System Operator Agreement Guidelines" detail the arrangements established by the Parties for the purposes of the co ordination and management of changes, faults and outages on the information systems and communications network infrastructure used by each Party for the purposes of monitoring and controlling their respective Systems.](#)

### [9.2 Adoption and implementation of the Transmission System Operator to Distribution System Operator Agreement Guidelines](#)

[9.2.1 Each Party agrees to adopt and implement the Transmission System Operator to Distribution System Operator Agreement Guidelines as from time to time revised by the Parties in accordance with paragraph 9.3.1.](#)

[9.2.2 In particular each Party shall ensure that its own procedures are consistent with the Transmission System Operator to Distribution System Operator Agreement Guidelines.](#)

### [9.3 Review and revision of Transmission System Operator to Distribution System Operator Agreement Guidelines](#)

[9.3.1 The Transmission System Operator to Distribution System Operator Agreement Guidelines shall be subject to review and revision by the Offtake Committee pursuant to paragraph 1.2 of this Section.](#)

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 9 of 33

© 2013 all rights reserved

## 9 Recommendation

The Panel have recommended that this report is issued to consultation and all parties should consider whether they wish to submit views regarding this self-governance modification.

## 10 Appendix

### Transmission System Operator to Distribution System Operator Agreement Guidelines Document

# Transmission System Operator to Distribution System Operator Agreement Guidelines

## Document Control

Version	Date	Reason for change
1.0		
2.0	240311	Review comments
3.0	250311	Further review
4.0	310311	Further review comments
4.1	040411	Update to contingency table
5.0	060411	Final review
6.0	171011	Legal Review
7.0	210313	DN Review and population of appendices.

**Development of Rules**

The procedure to review and modify the Transmission System Operator to Distribution System Operator Agreement Guidelines is specified in Section N1.2 of the Offtake Arrangements Document“”.

These “Guidelines” can only be modified in accordance with the procedures adopted by the Offtake Committee in accordance with Section N 1.2.5 of the Offtake Arrangements Document, while the Document Control Section records changes, which have been made to “the Guidelines”. The document is published on the Joint Office of Gas Transporters’ website, [www.gasgovernance.com](http://www.gasgovernance.com).

**1. Contents**

1.	Contents	3
2.	Definitions	4
3.	Background	5
4.	Purpose	5
5.	The Guidelines	
6.	Business Planning	6
7.	System Fault Management	6
8.	System Change Management	6
9.	SCADA Configuration Management	6
10.	UKT – DN Contingency requirements	7
11.	System Security	7
12.	Hardware Demarcation	7
13.	Business Continuity Management	8
14.	Annexes:	9
	Annex 1 - Business Planning	10
	Annex 2 – IS Systems Fault Management	11
	Annex 3 – IS Systems Change Management	14
	Annex 4 - SCADA Configuration Management	16
	Annex 5 - Contingency Requirements	18
15.	Appendices:	20
	Appendix A – IS System Fault Management – SPOC details	21
	Appendix B – IS Systems Change Management - SPOC details	22
	Appendix C – SCADA Configuration Management - SPOC details	23

## 2. Definitions

Unless otherwise stated, terms in the Transmission System Operator to Distribution System Operator Agreement Guidelines (“Guidelines”) shall have the meaning given to them in the Uniform Network Code. Such terms will be capitalised within quotation marks where first used in the Guidelines.

In these Guidelines:

### “Distribution System Operator”

The department of the “Distribution Network Owner” responsible for the safe control and operation of their gas supply and storage system(s).

### “National Grid Transmission System Operator”

The department of National Grid Transmission responsible for the safe control and operation of the National Transmission System.

### “UK Gas Supply Network” –

Includes all the gas supply networks owned and operated by National Grid Transmission and Distribution Network Operators.

### “Control Systems”

SCADA systems used by the National Grid Transmission System Operator and Distribution System Operators in the control and operation of the UK Gas Supply Network.

### “IS Systems” -

Information Systems and communications network infrastructure, which shall include Control Systems where appropriate, employed by the National Grid Transmission System Operator and Distribution System Operators used to monitor and control their UK Gas Supply Networks.

### “Party”

For the purposes of these Guidelines a Party is either the National Grid Transmission System Operator or a Distribution System Operator.

### “Parties”

For the purposes of this document the Parties are both the National Grid Transmission System Operator and the Distribution System Operators.

### NRO

Non-Routine Operation.

### Service Desks

Points of contact for raising IS System faults / incidents for the National Grid Transmission System Operator and each Distribution System Operator.

Transmission System Operator to Distribution System Operator Agreement Guidelines v7

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 14 of 33

© 2013 all rights reserved

### 3. Background

The System Operations Managed Service Agreement (SOMSA) came into effect on the 1<sup>st</sup> May 2005 and set out the terms and conditions under which National Grid Gas (NGG) managed gas networks on behalf of the independent Distribution Network Operators (iDNs).

With the termination of the SOMSA there remains a number of areas where the “**National Grid Transmission System Operator**” and a “**Distribution System Operator**” (the Parties) will need to share information and provide mutual support to allow efficient and safe operation of the “**UK Gas Supply Network**”. To ensure this happens effectively, there is a requirement for enduring arrangements between the Parties.

### 4. Purpose

These Guidelines have been created to detail the arrangements and clarify the responsibilities of the Parties in order to fulfil the processes defined within these Guidelines. These Guidelines have been included as an Offtake Subsidiary Document within the UNC Offtake Arrangements Document (OAD) which details the governance for amendments to these Guidelines.

These Guidelines apply to the processes associated with information sharing between the Parties’ IS Systems and creates the agreements that will govern the transfer of any such data and the processes by which the appropriate support is provided to ensure that all data that is required by impacted Parties is maintained effectively.

## 5. The Guidelines

The different agreements covered by these Guidelines have been developed to cover all the obligated and other agreed data transfers required between the Parties, and are summarised below with full details included in the appropriate annex.

For the avoidance of doubt, where there is a conflict between the provisions of these Guidelines and those contained within the UNC OAD, those provisions within the UNC/OAD will take priority.

## 6. Business Planning

It is recognised that from time to time a Party may need to amend / replace their System(s) or processes and that this may impact upon the other Parties' business planning processes or systems. The initiating Party must notify affected Parties of plans in sufficient time to permit plans to be developed to support these changes.

These Guidelines specify the requirements and responsibilities placed upon the Parties for ensuring that affected Parties are engaged in good time and follow appropriate processes to implement changes.

The full details of the process are covered in Annex 1.

## 7. IS System Fault Management

These Guidelines provide the framework that the Parties will use to manage faults or failures in IS Systems leading to a potential loss of data to another Party and details the support required from other Parties to resolve and achieve a return to normal service.

The full details of the process are covered in Annex 2.

## 8. IS System Change Management

Accurate transfer of data between Parties is essential to efficient System operations. It is recognised that from time to time, a Party may need to carry out planned work on their System(s) that may impact upon other Parties. In this situation the initiating Party must ensure that potentially impacted Parties are consulted in sufficient time to permit discussions to agree how the change is managed effectively.

These Guidelines specify the requirements and responsibilities placed upon the Parties for ensuring that changes that impact data transfer (or have the potential to impact) are communicated to the appropriate Parties in sufficient time and detail.

The full details of the process are covered in Annex 3.



## **9. SCADA Configuration Management**

Consistent and accurate configuration of Control Systems by all Parties is essential to support the accurate transfer of data between the Parties' Control Systems and associated Systems.

These Guidelines define the process for ensuring consistent mapping between the Parties' Control Systems and for managing any changes to the mappings in a timely and efficient manner.

These Guidelines specify the requirements and responsibilities placed upon the Parties for ensuring that changes that affect data transfer are communicated to other affected Parties in sufficient time and that data extracts are provided to support validation of mapping between Control Systems.

The full details of the process are covered in Annex 4.

## **10. Contingency requirements**

It is recognised that System issues suffered by one of the Parties may impact on other Parties, and procedures have been developed and agreed to manage the provision of affected Party's(ies) key data in such an occurrence.

These Guidelines specify the requirements and responsibilities placed upon the Parties for ensuring the effective communication and transfer of key data items in the event of failure of normal processes.

The full details of the process are covered in Annex 5.

## **11. System Security**

All Parties to these Guidelines are expected to protect the confidentiality, integrity and availability of those information assets, shared in the course of ongoing operation, with recognised good practice security controls.

Controls shall be put in place by each Party to ensure that whenever confidential information, including any personal data, is shared, only those individuals required by their job role and authorised to do so are able to access that confidential information.

All Parties shall carry out good practice vetting of staff, appropriate to the individual job role and the information access granted to their own and shared information assets.

Each Party shall also put in place arrangements to ensure the security of its own computing and communications infrastructure when that infrastructure is connected to a third party. These arrangements shall include, but are not limited to, appropriate methods of protection against malicious software.

In the event there are any concerns regarding the level of security then a Party may request evidence of such security standards.

## 12. Hardware Demarcation

The supply, transfer and receipt of data is reliant on IS Systems being in place. The demarcation point for the ownership of this hardware is at the handoff router:

- Typically, a Party will procure and install a network link, terminating at a handoff router within the connected Party's IS System.
- Both Parties will have infrastructure (servers) associated with the sending/receiving system and ownership of these will align with the location of the equipment. The effects of exceptions to this, such as xoserve utilising the National Grid Transmission System Operator IS System, are covered by commercial arrangements and separate to this document.
- Either Party may also have an IS System to manage the file transfer process (FTP) and again ownership of this will align with the location of the equipment.

Ownership includes the responsibility for fault/support and maintenance of the equipment.

## 13. Business Continuity Management

In order to ensure that the contingency processes are fully effective, it has been agreed by all Parties that these will be tested on an annual basis and will be included in the annual emergency desk top exercise.

## 14. Annexes

Annex 1 - Business Planning

Annex 2 – IS Systems Fault Management

Annex 3 – IS Systems Change Management

Annex 4 - SCADA Configuration Management

Annex 5 - Contingency Requirements

## **Annex 1. Business Planning**

### **Scope**

Due to the reliance of Parties on data transfer from other Parties, it is important that a coordinated approach is taken to business planning for Systems changes where those changes affect more than one Party.

Where a Party, as part of its business planning process, identifies a requirement to make such changes or replacements to its Systems that will significantly impact another Party due to changes to interfaces, or a requirement for significant testing of interfaces, then the initiating Party will make this known to all impacted Parties in sufficient time to allow the affected Parties to take this into account in their own business planning.

### **Process**

The Parties will agree indicative timescales, impacts, processes for project implementation/issue resolution and funding arrangements (i.e. which Party will pay for which elements of the work).

During project delivery, each Party should follow its own project management methodology, however, this should follow industry best practice. As a key part of this, throughout the life of the project, the initiating Party will engage effectively in a pre-agreed manner with affected Parties to allow for appropriate planning to be carried out and for agreement on key issues to be achieved in appropriate timescales.

In the event of conflicting requirements between affected Parties, these will be resolved via a suitable Transporter Forum, such as the System Operators Forum, to find an optimum solution.

### **Communications**

At the initiation stage of a Project/issue resolution the Parties will agree and provide details for key points of contact, including e-mail addresses and telephone numbers.,

## Annex 2 – IS Systems Fault Management

### Scope

These Guidelines are applicable to the Parties for the management of faults on IS Systems which impact upon the operations of other Parties, or require support from other Parties to resolve.

Arrangements for planning and management of maintenance and change of applicable IS Systems are outside the scope of these Guidelines.

Where a Party encounters a fault with a System or communication link that could affect another Party, they will communicate and co-ordinate their response through established points of contacts as described in Appendix A.

### Process

#### 1. Fault/Incident Reporting

The Party that detects the fault shall report the fault to their respective “**Service Desk**” for a fault reference to be raised and appropriate support teams within their organisation to be mobilised. In addition, where appropriate, Control Room to Control Room communication will be initiated by the originating Party to focus on necessary operational contingency arrangements.

Service Desk to Service Desk communication will be initiated by the originating Party to mobilise fault resolution activity.

Reporting of faults within each organisation is the responsibility of each organisation.

Parties are expected to agree and manage faults at similar priority to those of the initiating Party.

Where a fault is raised and the initial diagnosis determines that the problem lies with the initiating Party, other Parties will carry out high level checks and be prepared to participate if called on (e.g. if NGG raise a call for a problem that appears to be a fault on a NGG system, other Parties will check their systems and prepare to be called upon should the need arise).

This process will result in agreement upon which Party is responsible for leading on resolution of the fault/incident.

#### 2. Fault/Incident Management

During fault/incident resolution each Party shall be responsible for managing impacts upon their own IS Systems.

Where co-operation is required between Parties this shall be at the direction of the Party agreed as responsible at the outset of the reported fault.

Co-operation may include (as required by the specific circumstances of a fault/incident):

- Attending technical and/or management “bridges” (teleconferences)
- Undertaking remedial activities on Parties’ own IS Systems
- Undertaking tests as required
- Agreeing priority/severity
- Co-ordinating communication within Parties
- Allocation of appropriate resources and knowledge
- Other actions which may be necessary to achieve effective and timely resolution
- Contingency co-ordination
- Reporting on progress of actions agreed
- Fault closure will take place through Service Desk to Service Desk communication.

### 3. Fault/Incident Investigation/Post Event Analysis.

Once a fault/incident is resolved, and co-operation has been necessary, the nominated responsible Party shall initiate appropriate post event and root cause analysis. The objectives of this shall be to learn from the experience in order to avoid future reoccurrence and/or improve the process of fault/incident management.

Where requested, each Party is obliged to contribute to and participate in such analysis and undertake agreed resulting actions.


A formal RCA (Root Cause Analysis) Report will be made available for any P1/P2 incident raised and distributed within 10 days of formal closure. The responsible Party should also be responsible for carrying out trend analysis should a persistent problem occur.

The Party responsible for leading the fault/incident shall lead on the post event analysis.

## Communications

A single point of contact (SPOC), phone number and email account will be maintained and communicated by each Party to enable effective reporting, management and where required escalation of IS System issues (the information required is detailed in Appendix A). The SPOC should be available 24 hours a day, 7 days a week in order to effectively manage this incident process. Each Party will be responsible for maintaining and communicating the contact details for its SPOC.

The following diagram provides an overview of the various elements of the entire restoration team for all faults/incidents affecting the National Grid Transmission and Distribution System Operator. Also shown are the communication activities that will be co-ordinated between technical, management and business groups, including the relevant escalation routes.



### Request for Access

In some instances the physical location of a Party's equipment may be on another Party's site. When a Party requires access to this equipment it will be managed via a request to the other Party's Service Desk.

## Annex 3 – IS Systems Change Management

### Scope

Any changes to non-SCADA systems (referred to as business applications) which may impact other Parties' systems should be managed via the IS Change Management process. This will allow the impact of any proposed business application changes to be assessed in sufficient time to permit discussions to agree how the change is managed effectively.

The table below describes the types of work to be carried out for each classification of IS systems change and the notice periods that are required between parties prior to the work being carried out (Where the work being carried out cannot be clearly placed under a specific classification then Parties will agree on a classification for the work)

Classification	Nature of Work	Notice Period	Typical Work	Typical Impact	Comments
Notification	Routine	5 Business Days	Server swaps	Generation of alarms on system used by other Party. Brief loss of telemetry (typically less than 3 minutes).	
Minor Impact	Non Routine	10 Business Days	System upgrades. Software release to applications. Remedial work post incidents.	Generation of multiple alarms on system used by other Party. Several instances of brief loss of telemetry (typically less than 3 minutes).	Work to be managed under an "NRO". Impacted Parties receive copy of NRO for information only.
Major Impact	Non Routine	30 Business Days	Replacement of IS Systems. Maintenance / testing of telemetry.	Loss of data over extended period(s).	Work to be managed under an NRO. Impacted Parties to approve the NRO.

### Process

The Party initiating the work shall identify and advise impacted Parties of the date/time of work, duration, content, impact upon the operation of data transfer and measures to mitigate the effect of the outage. Other Parties will be invited to comment on any aspect of the proposed change which impacts their data flows or system.

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 24 of 33

© 2013 all rights reserved



In all cases, details including impact assessment, method statement and back out plan to be provided, where applicable these shall be incorporated within the NRO. Those carrying the work will contact the impacted Control Room(s) and IS support before work commences and upon completion of work and make arrangements for contact during the work. Consideration should be given to use of a telephone conference to manage co-ordination between Parties.

To support remedial work following faults/incidents, the Parties will work together to facilitate short notice plan changes.

## **Communications**

The Parties shall each nominate a single point of contact (SPOC) for co-ordination and provide contact details, including an e-mail account address and telephone number. The required level of information for the SPOC is detailed in Appendix B. Each Party will ensure the SPOC details are maintained and communicated as appropriate.

Prior to changes that have a major impact upon another Party, meetings shall be held between the Parties to discuss the change and evaluate the impact upon all Parties (see below).

Parties will be expected to manage each change in a considered way, taking account of constraints of other Parties. If the other Party is subject to difficulties because of the method or timing of the change, the Parties will work together to minimise these.

In the event of conflicting requirements between affected Parties, these will be resolved via a suitable Transporter forum, such as the System Operators Forum, to find an optimum solution.

## **Governance of System Changes**

Each Party will follow internal governance processes for changes. The initiating Party may be called upon to provide information to support approval of the work but may not be required to participate in the governance process.

The other Party may not form part of the formal governance group and therefore may not have the power to prevent changes occurring if they are considered necessary by the initiating Party.

However, all Parties will be expected to manage each change in a considered way and if the other Party will be subject to difficulties because of the timing of the change, the initiating Party shall take that into account before finalising the implementation timescales.

## Scope

### 1. Management of Changes

#### Trigger of Changes

Changes can be initiated by either Party as a result of:

- (a) Addition of new assets to existing sites
- (b) New sites/telemetry rebuilds
- (c) Decommissioning of sites/removal of assets
- (d) Correction of errors

#### Process

Data items and controls to be mapped between Systems are as listed in the Offtake Arrangements Document Section E Annex E-1 and the Supplemental Agreement for each site.

Any additions, changes or deletions to data items mapped between Control Systems shall be communicated to the other Party in line with the timescales below.

The Party that initiates the changes has responsibility for liaising with the other Party to agree the inter Control System configuration that shall be in accordance with the agreed convention.

Details of changes shall be sent to the other Party via fax or e-mail. Details to be provided include (but are not limited to) database addresses, ranges, state names and in the case of changes which require SCADA picture changes, an ELD marked with points at which measurements are taken.

Details of any non standard or unusual operating arrangements relating to a site which may affect the other Party shall be communicated to support monitoring/operation of the site or development of alarm responses.

The initiating Party's change shall ensure that testing between Control Systems is included within the initial site commissioning / end to end tests. In addition, testing can be arranged via the agreed points of contact, at the request of either Party, to validate the data transfer following changes made to the database on either System.

#### Notification of changes

- Minor changes (e.g. addition of new measurement, change to existing measurement) shall be communicated to the other Party no less than 5 Business Days before the change is to be applied. Significant changes (e.g. new site or telemetry rebuild) shall be communicated to the other Party no less than 60 Business Days before the change is to be applied.

Unplanned changes such as those required to accommodate emergency reconfiguration of a gas network, urgent change to project timescales, or correction of errors shall be allowed.

Where changes are to take place in stages, the other Party shall provide data relevant to each stage of the change along with proposed implementation dates.

### 2. Validation between Systems

0433S

Draft Modification Report

16 May 2013

Version 1.0

Page 26 of 33

© 2013 all rights reserved

## **Scope**

Requirement for validation – an initial validation of database configuration shall be carried out by using full dataitem to dataitem check between Control Systems and subsequent changes shall be managed as described above. However, the nature of the database configuration on the Control Systems introduces a risk of configuration mismatch between Control Systems. To mitigate this risk, a process shall be introduced to provide the other Party with an extract of the SCADA Database to allow each Party to carry out validation checks to confirm the integrity of the data transfer.

## **Process**

An extract of the SCADA Database mapping required to support the SCADA – SCADA data transfer shall be provided to the other Party fortnightly, or upon request.

The extract shall take the form of an Excel spreadsheet using format agreed between Parties and shall be sent to the nominated email account.

## **Communication**

Each Party shall each nominate a single point of contact (SPOC) for coordination, including an email account address. The information required for the SPOC is detailed in Appendix C and each Party will ensure these are maintained and communicated as appropriate.

It is not envisaged that regular liaison meetings will be required. However, these can be arranged by either Party should the need arise to discuss changes for a significant project, e.g. site rebuild.

## Annex 5 – Contingency Requirements

### Scope

The table below details the critical data that is required by the affected Party in the event of a failure of normal procedures, this is intended to compliment the existing contingency arrangements including those stipulated in the Offtake Communications Document.

Transfer	Data	Reasoning	Method	Frequency
DSO – TSO SCADA Link	Inlet pressures, CVs & compressibility	To enable monitoring of extremity / key NTS pressures, and update of linepack.	Fax or e-mail	Hourly or as agreed depending upon demand level grid conditions. Dataitems to be supplied as scaled values
DSO – TSO Aggregator Link	Offtake Profile Notifications	To enable calculation / tracking of NTS demands	Fax or e-mail	On change
DSO – TSO Aggregator Link	Forecast demand and stock change (always set to zero) within day and day ahead	To enable calculation / tracking of NTS demands	Fax or e-mail	Forecast times and upon change
DSO – TSO Aggregator Link	End of day volumes for Offtakes (DVols)	To support reconciliation processes	Fax or e-mail	Daily between 06:00 and 08:00
TSO – DSO SCADA Link	Subset of data as identified by each DNO	To enable monitoring of DN gas networks and support DN processes	Fax or e-mail	Hourly or as agreed depending upon demand level grid conditions. Dataitems to be supplied as scaled values

Transfer	Data	Reasoning	Method	Frequency
TSO – DSO Aggregator Link	Flow weighted average CV and Billing CV	To support Actual and Forecast demand processes	Fax or e-mail	On change

## General

A contingency event will be declared in the event that data has not been received by a Party within the established timescales. If the Party has access to the applicable data, it will be provided by fax or e-mail.

The data received by the National Grid Transmission System Operator in the event of an Aggregator link failure is dependant upon the location/ nature of the fault. Failure of the link between the Distribution System Operator and Aggregator will result in the Transmission System Operator receiving the last good value held within the Aggregator. All other failures will result in no value being received by the National Grid Transmission System Operator.

Where the National Grid Transmission System Operator has data that is appropriate to share with a specific Distribution System Operator, this will be provided in a similar manner to the above, subject to agreement by both Parties.

All Parties will maintain procedures to ensure that the data is transferred manually when there is a failure in the Control Systems and ensure that the transfer procedures are mutually compatible.

To support transfer of SCADA data, each Party will identify and agree the subset of the data required under contingency arrangements. This subset of data will be communicated to the Party providing the data who in turn will create SCADA displays/screens with the required data to send to the other Party.

15. **Appendices**

Appendix A – IS System Fault Management – SPOC details

Appendix B – IS Systems Change Management SPOC details

Appendix C – SCADA Configuration Management SPOC details

## Appendix A – IS System Fault Management

Details of SPOC for communications relating to System Fault Management:

Party	IS Points of Contact		Control Room	
	Email	Telephone	Email	Telephone
NGG Transmission	<a href="mailto:iGMS.SupportTeam@nationalgrid.com">iGMS.SupportTeam@nationalgrid.com</a>	07717447892	<a href="mailto:Gncc.control@nationalgrid.com">Gncc.control@nationalgrid.com</a>	08701910630
Northern Gas Networks	<a href="mailto:ithelp@northerngas.co.uk">ithelp@northerngas.co.uk</a>	0113 397 5390 or 0796 009 6552	<a href="mailto:NGN_Operations@northerngas.co.uk">NGN_Operations@northerngas.co.uk</a>	0845 600 3171
Wales & West Utilities	<a href="mailto:wwutilities@plexus.serco.com">wwutilities@plexus.serco.com</a>	0844 57 65 320	WWU_systemoperation_operations@wwutilities.co.uk	03301 00 00 61
Scotia Gas Networks	<a href="mailto:Gascontrol.operations@sgn.co.uk">Gascontrol.operations@sgn.co.uk</a>	08450737 953	<a href="mailto:Gascontrol.operations@sgn.co.uk">Gascontrol.operations@sgn.co.uk</a>	08450737 953
NGG Distribution	No email or box account for IS helpdesk	0800 917 7111	<a href="mailto:sysop.dncc.operations@nationalgrid.com">sysop.dncc.operations@nationalgrid.com</a>	0870 2418701

Details for Service Desk Contact for communications relating to System Fault Management:

Party	Service Desk	
	Email	Telephone
NGG Transmission & Distribution	<a href="mailto:iGMS.SupportTeam@nationalgrid.com">iGMS.SupportTeam@nationalgrid.com</a>	07717447892
Northern Gas Networks	<a href="mailto:NGN_sdesk@wipro.com">NGN_sdesk@wipro.com</a>	0808 238 9929
Wales & West Utilities	<a href="mailto:wwutilities@plexus.serco.com">wwutilities@plexus.serco.com</a>	0844 57 65 320
Scotia Gas Networks	<a href="mailto:sgngcapp@sgn.co.uk">sgngcapp@sgn.co.uk</a>	0788 435 7280

## Appendix B - Systems Change Management

Details of SPOC for communications relating to Systems Change Management:

Party	SPOC	
	Email	Telephone
NGG Transmission	<a href="mailto:iGMS.SupportTeam@nationalgrid.com">iGMS.SupportTeam@nationalgrid.com</a>	07717447892
Northern Gas Networks	<a href="mailto:NGN_Support@northerngas.co.uk">NGN_Support@northerngas.co.uk</a>	0191 511 4515
Wales & West Utilities	<a href="mailto:Wwu_systemoperation_support@wwutilities.co.uk">Wwu_systemoperation_support@wwutilities.co.uk</a>	03301 00 00 64
Scotia Gas Networks	<a href="mailto:Gascontrol.support@sgn.co.uk">Gascontrol.support@sgn.co.uk</a>	08450737 963
NGG Distribution	<a href="mailto:dncc.scadatelemetry@nationalgrid.com">dncc.scadatelemetry@nationalgrid.com</a>	0800 917 7111



## Appendix C - SCADA Configuration Management

Details of SPOC for communications relating to SCADA configuration:

Party	SPOC	
	Email	Telephone
NGG Transmission	<a href="mailto:jGMS.SupportTeam@nationalgrid.com">jGMS.SupportTeam@nationalgrid.com</a>	07717447892
Northern Gas Networks	<a href="mailto:NGN_Support@northerngas.co.uk">NGN_Support@northerngas.co.uk</a>	0191 511 4515
Wales & West Utilities	<a href="mailto:Wwu_systemoperation_support@wwutilities.co.uk">Wwu_systemoperation_support@wwutilities.co.uk</a>	03301 00 00 64
Scotia Gas Networks	<a href="mailto:Gascontrol.scada@sgn.co.uk">Gascontrol.scada@sgn.co.uk</a>	08450737 962
NGG Distribution	<a href="mailto:dncc.scadatelemetry@nationalgrid.com">dncc.scadatelemetry@nationalgrid.com</a>	0800 917 7111