

UNC MODIFICATION PROPOSAL 710
(CDSP provision of Class 1 read service)

Legal Text

Transportation Principal Document

SECTION B - SYSTEM USE AND CAPACITY

Delete paragraph 8.12.3 (c) and replace it with the following new paragraph 8.12.3 (c):

"Section M6.6.1;"

Commented [RP1]: Mike Berrisford suggested that it refers to 8.12.3 (c) rather than referring to 8.12.3 and the change being "(c)"

SECTION E – DAILY QUANTITIES, IMBALANCES AND RECONCILIATION

Delete paragraph 1.5.3 and replace it with the following new paragraph 1.5.3:

- "1.5.4 For the purposes of paragraph 1.5.3, in respect of a Class 1 or 2 Supply Meter Point which is a CSEP Supply Meter Point, the quantity of gas determined as offtaken on a Day shall be the quantity determined as offtaken at the corresponding IGTS Supply Meter Point, pursuant to the provisions of the IGT Code referred to in IGTAD Section A2.1."

Delete paragraph 1.6.3(b) and replace it with the following new paragraph 1.6.3(b)

- "(b) from the first information Day until the Exit Close-Out Date, on the basis of Supply Meter Point Daily Quantities determined in accordance with paragraph 3 and Section H provisionally on the basis of actual or estimated Meter Readings available to the CDSP in accordance with Section M6 or Section M7 or (in respect of a Metered Connected System Exit Point) the applicable CSEP Network Exit Provisions."

In paragraph 3.4.1 delete the words "Section M6.6" and replace them with "Section M6.4 or M7.4".

SECTION F - SYSTEM CLEARING, BALANCING CHARGES AND NEUTRALITY

Delete paragraph 3.3.4(a) and replace it with the following new paragraph 3.3.4(a):

- "(a) in respect of a Class 1 or Class 2 Supply Meter Point (other than a Telemetered Supply Meter Point), the Gas Flow Day was a Failed Daily Read Day; or"

SECTION G – SUPPLY POINTS

In paragraph 2.1.3(f) delete the words “Section M6.7.1” and replace them with the words “Section M7.2.1”.

Delete paragraph 2.1.5 and replace it with the following new paragraph 2.1.5:

“2.1.5 Where, as a result of a change in status of a Supply Meter Point which is not in Class 1, the Class 1 Requirement applies:

- (a) save where Section M 7.2.1 applies, the CDSP will arrange for the satisfaction of the Class 1 Meter Read Requirements as soon as reasonably practicable, and will inform the Registered User when the Class 1 Meter Read Requirements are satisfied, in accordance with Section M6.2;
- (b) where Section M7.2.1 applies, the Transporter will arrange for the satisfaction of the Class 1 Meter Read Requirements as soon as reasonably practicable, and will inform the Registered User when the Class 1 Meter Read Requirements are satisfied, in accordance with Section M7.2,

and the date from which the Supply Meter Point shall be in Class 1 shall be determined in accordance with paragraph 1.11.”

Commented [RP2]: Required due to the separation of service provider for datalogged and telemetered

Commented [RP3]: “M” added in following discussion at workgroup on 27th August 2020

Delete paragraph 2.1.6(c) and replace it with the following new paragraph 2.1.6(c):

- “(c) when the Supply Meter Point ceases to be in Class 1, the CDSP or Transporter as appropriate may (in accordance with Section M6.2.6 or M7.2.4) remove any equipment provided for the purposes of satisfying the Class 1 Meter Read Requirements.”

Delete paragraph 2.2.5 and replace it with the following new paragraph 2.2.5:

2.2.5 If the Class of a Supply Meter Point is changed by way of a Supply Point Amendment, a Meter Reading shall be obtained in accordance with Section M5.14.1 and, where ~~not the responsibility of the CDSP~~ itself, submitted to the CDSP.

Commented [RP4]: Amended following workgroup discussion on 27th August 2020

In paragraph 3.2.7(a)(i) delete both references to “Section M5.13.18(a)” and replace them with references to Section M5.13.17(a).

Commented [RP5]: This is incidental to the modification itself, the correction of the error in the cross reference has been noted in passing and rather than raising a fast track self-governance modification we have amended this as part of the legal text for this modification.

In paragraph 9.1.13 delete the words “Subject to Section M1.7.2, the” and replace them with the word “The”.

In Annex G-3, delete paragraph 1.1.1(i)(iii) and replace it with the following new paragraph 1.1.1(i)(iii):

"(iii) such Supply Meter Installation comprises a Telemetered Supply Meter; or"

Commented [RP6]: Removed reference to M6.7.1

SECTION J – EXIT REQUIREMENTS

In paragraph 5.6.1(b) delete the words "Transporter Daily Read Equipment" and replace them with the words "Daily Read Equipment".

SECTION M – SUPPLY POINT METERING

In paragraph 1.4.1 delete the words "paragraph 6" and replace them with the words "paragraphs 6 and 7".

In paragraphs 1.5.2, 2.1.9, 5.11.3, 5.12.1 and 5.12.8 delete the words "Transporter Daily Read Equipment" wherever they appear and replace them with the words "Daily Read Equipment".

Delete paragraph 1.7.2.

Delete paragraph 1.9.2 and replace it with the following new paragraph 1.9.2:

"1.9.2 Where any provision (the "**relevant provision**") of the Code requires a Consumption Adjustment, the Registered User (in the case of a Class 2, 3 or 4 Supply Meter Point) or the CDSP or Transporter (as applicable in the case of a Class 1 Supply Meter Point) shall estimate the volume of gas offtaken at the Supply Meter Point ("**Estimated Consumption**") in the period or periods for which the Consumption Adjustment is to be made, in accordance with the relevant provision and, in the case of the Registered User or Transporter, submit the Estimated Consumption to the CDSP."

Delete paragraphs 1.9.4 and 1.9.5 and replace them with the following new paragraphs 1.9.4 and 1.9.5:

"1.9.4 In relation to a Class 1 or 2 Supply Meter Point, and in relation to each Day in the period for which a Consumption Adjustment is to be made, where (under the relevant provision) the requirement for the Consumption Adjustment

arises before the Exit Close Out Date, the CDSP, Transporter or Registered User (as applicable) shall determine and, in the case of the Transporter or Registered User, submit, the Estimated Consumption for such Day as soon as possible after the Day and no later than the Exit Close Out Date.

- 1.9.5 In relation to a Class 3 or 4 Supply Meter Point, any Datalogged Class 1 Supply Meter Point or Class 2 Supply Meter Point for any period for which Estimated Consumption was not submitted pursuant to paragraph 1.9.4, and any Class 1 Supply Meter Point for any period for which Estimated Consumption was not obtained by the CDSP pursuant to paragraph 1.9.4, the Consumption Adjustment shall give rise to an Offtake Reconciliation as provided in the relevant provision.”

Delete paragraph 1.10.3(b) and replace it with the following new paragraph 1.10.3(b):

- “(b) except as in paragraph (a):
- (i) the amount agreed by the CDSP or Transporter (as applicable) and the User and (where applicable) notified to the CDSP; or
 - (ii) if either the CDSP or Transporter as applicable or the User shall so require, determined by Expert Determination and notified to the CDSP.”

Delete paragraphs 1.14.1(c) to (d) and replace them with the following new paragraphs 1.14.1(c) to (e):

- “(c) estimating Meter Readings; and
- (d) monitoring and reporting on performance by Users in submitting Meter Readings; and
- (e) providing and maintaining Datalogged Daily Read Equipment and obtaining Meter Readings in respect of Datalogged Class 1 Supply Meter Points.”

In paragraph 2.4.6 delete “Transporter” and replace it with “CDSP”.

In paragraph 3.1.6, after “the relevant charge payable by the Registered User”, insert “(if any)”.

Insert the following new paragraph 3.4 heading and new paragraph 3.4.1:

“3.4 Failures of Special Metering Supply Meter Installations

- 3.4.1 Where, upon an inspection (pursuant to a Daily Read Error Notice or otherwise) of Daily Read Equipment, the Transporter finds that there is a failure or unavailability of the Special Metering Supply Meter Installation and this is the cause of the Daily Read Equipment not functioning correctly:
- (a) where the Transporter is not National Grid and National Grid has provided and installed such Special Metering Supply Meter Installation, it shall so notify National Grid promptly after its inspection;
 - (b) where National Grid receives notice under paragraph 3.4.1(a) or otherwise becomes aware of a failure or unavailability of such Special Metering Supply Meter Installation that may impact on the Transporter's ability to procure accurate and timely Valid Daily Meter Readings, National Grid will promptly advise the Transporter when it becomes aware of such failure or unavailability;
 - (c) in the event of (a) or (b) National Grid will:
 - (i) promptly arrange for the repair/replacement of such Special Metering Supply Meter Installation by a competent person;
 - (ii) notify the Transporter when such Special Metering Supply Meter Installation has been repaired or replaced;
 - (iii) unless such Special Metering Supply Meter Installation has been repaired or replaced, no later than one month after either of the events in (a) or (b) inform the Transporter of the date by which National Grid is expecting such Special Metering Supply Meter Installation to be repaired or replaced and thereafter notify the Transporter of any changes to the expected date;
 - (d) upon notification that such Special Metering Supply Meter Installation has been repaired/replaced, the Transporter will arrange for the prompt resynchronisation of the Daily Read Equipment.”

In paragraph 5.1.1, after “Meter Readings are required to be obtained and”, insert “, save, in the case of Class I Supply Meters, obtained by the CDSP itself,”.

In paragraph 5.1.2(b) delete “Transporter” and replace it with “CDSP”.

Commented [RP7]: Removed from previous version of legal text by legal text v4 as no change to current text required

Delete paragraph 5.1.3 and replace it with the following new paragraph 5.1.3:

“5.1.3 The CDSP and the Transporter are responsible for obtaining Meter Readings from Datalogged and Telemetered Class 1 Supply Meters respectively in accordance with paragraph 5.15.”

In paragraph 5.1.7, after “in the case of a”, insert “Datalogged”.

Delete paragraph 5.3.5 and replace it with the following new paragraph 5.3.5:

“5.3.5 Validation of a Meter Reading shall be carried out:

- (a) in relation to a Datalogged Class 1 Supply Meter by the CDSP;
- (b) in relation to a Telemetered Class 1 Supply Meter by the Transporter:
- (c) in relation to a Class 2, 3 or 4 Supply Meter:
 - (i) by the Registered User; and
 - (ii) as a check on the User’s validation, by the CDSP.

Delete paragraph 5.5.1 and replace it with the following new paragraph 5.5.1:

“5.5.1 Meter Readings for Class 1 Supply Meters will be obtained by the CDSP or the Transporter by the means specified in paragraphs 6 and 7 as applicable and provided to the Registered User in the form described in the UK Link Manual.”

Delete paragraphs 5.6.1 and 5.6.2 and replace them with the following new paragraphs 5.6.1 and 5.6.2:

“5.6.1 For each Class 1 Supply Meter a Valid Daily Meter Reading shall be obtained every Day (D) and provided by the CDSP to the Registered User by the Exit Close-out Date or such earlier time as may be provided for by the DSC (and in the case of a Daily Meter Reading of a Telemetered Class 1 Supply Meter Point shall be obtained by the Transporter and provided to the CDSP in time to facilitate such onward provision by the CDSP).

5.6.2 If a Valid Daily Meter Reading is not obtained as required by paragraph 5.6.1, an estimated Meter Reading (in accordance with paragraph 5.4) shall be provided to the Registered User, subject to paragraph 5.6.3.”

In paragraph 5.6.4 delete the words “paragraph 6” and replace them with the words “paragraphs 6 and 7”.

Delete paragraph 5.12.3 and replace it with the following new paragraph 5.12.3:

“5.12.3 In relation to each relevant Supply Meter:

(a) the CDSP, in the case of a Datalogged Class 1 Supply Meter or the Transporter in the case of a Telemetered Class 1 Supply Meter, and

(b) the Registered User, in the case of a Class 2, 3 or 4 Supply Meter,

shall arrange that a Check Read is carried out (and where not carried out by the CDSP itself submitted to it) with a Read Date which is not more than:

(i) in the case of Supply Meter other than an Annual Read Meter, 12 months;

(ii) in the case of an Annual Read Meter, 24 months

after the Read Date of the most recent On-Site Meter Read and the CDSP shall, not later than one (1) month prior to the last date on which a Check Read is next required to be submitted in accordance with this paragraph 5.12.3, notify the Registered User of the relevant Supply Point of such date; and the CDSP shall also notify the Registered User where a Check Read is not submitted within three (3) months of such date together with details of the relevant Supply Meter.”

In paragraph 5.12.4 delete the words “paragraph 5.12.1” and replace them with the words “paragraph 5.12.3” and insert “Telemetered” between “in the case of a” and “Class 1 Supply Meter”.

In paragraph 5.12.5, after “Nothing prevents the”, insert “CDSP,”.

In paragraph 5.12.6 delete “Transporter” and replace it with “CDSP or Transporter, as appropriate,”

In paragraph 5.12.8, after “the User”, insert “, CDSP”.

Delete paragraph 5.13.2 and replace it with the following new paragraph 5.13.2:

“5.13.2 The Proposing User, in the case of a Class 2, 3 or 4 Supply Meter, the CDSP in the case of a Datalogged Class 1 Supply Meter and the Transporter in the case of a Telemetered Class 1 Supply Meter, shall secure that a Valid Meter Reading (an “**Opening Meter Reading**”) is:

(a) obtained for a Read Date which satisfies the requirement in paragraph 5.13.3; and

- (b) in the case of a Meter Reading from a Telemetered Class 1 Supply Meter or a Class 2, 3 or 4 Supply Meter submitted (as an Opening Meter Reading) to the CDSP,

by the required time required under paragraph 5.13.4 from the Supply Meter referred to in paragraph 5.13.1, but in the case of a Class 1 or Class 2 Supply Meter, the Meter Reading obtained under paragraphs 5.6 or 5.7 will satisfy this requirement."

Delete paragraph 5.13.4 and replace it with the following new paragraph 5.13.4:

"5.13.4 For the purposes of paragraph 5.13.2 the Meter Reading must be submitted to, or, in the case of a Datalogged Class 1 Supply Meter Point, obtained by, the CDSP not later than:

- (a) where the Supply Meter Point is or (following the Supply Point Confirmation) will be in Class 1 or Class 2, 16:00 hours on the 5th Day after the Supply Point Registration Date;
- (b) except as provided in paragraph (a), 16:00 hours on the 10th Business Day after the Supply Point Registration Date."

Delete paragraph 5.13.7 and replace it with the following new paragraph 5.13.7:

"5.13.7 Without prejudice to paragraph 5.13.16, subject to paragraph 5.13.8, where an Opening Meter Reading is not obtained by, or submitted to, the CDSP (as applicable) by the date required under paragraph 5.13.2:

- (a) in the case of a Class 1 Supply Meter, the estimate under paragraph 5.6.2 will be used as an Opening Meter Reading;
- (b) in the case of a Class 2 Supply Meter, the estimate under paragraph 5.7.2 will be used as an Opening Meter Reading;
- (c) in the case of a Class 3 or 4 Supply Meter, a Meter Reading will be estimated (for a Read Date which is the Supply Point Registration Date) in accordance with paragraph 5.4.3 (subject to paragraph 5.13.8) and used as an Opening Meter Reading,

and, where, under the Supply Point Confirmation, there is a change in the Class of the Supply Meter comprised in the Supply Point, the reference to Class in this paragraph 5.13.7 is to the Class of such Supply Meter immediately prior to the Supply Point Confirmation."

Delete paragraph 5.14.1 and replace it with the following new paragraph 5.14.1:

"5.14.1 The Registered User shall secure that a Valid Meter Reading is obtained and submitted to the CDSP:

- (a) (as required by Section G7.2.2(a)(iv)) upon the Isolation of a Supply Point in accordance with Section G7.2;
- (b) upon the replacement (whether for examination, inspection, repair, maintenance or exchange or otherwise) of a Supply Meter, in respect of both the replaced and the replacement meter;
- (c) upon a change of Class by way of a Supply Point Amendment to or from a Class 2, 3 or 4 Supply Meter as provided in paragraph 5.14.3,

and upon a change of Class by way of a Supply Point Amendment to or from a Class 1 Supply Meter, the Transporter shall obtain and submit a Valid Meter Reading to the CDSP, or the CDSP shall obtain one (as appropriate), as provided by paragraph 5.14.3.

Delete paragraphs 5.15.1 to 5.15.3 and replace them with the following new paragraphs 5.15.1 to 5.15.3:

"5.15.1 For the purposes of this paragraph 5.15:

- (a) "**Daily Read Facility**" means, in relation to a Class 1 Supply Meter, Datalogged Daily Read Equipment or Telemetered Daily Read Equipment, and in relation to a Class 2 Supply Meter, the equipment installed and/or arrangements made by the User for the purposes of obtaining, and submitting to the CDSP, Daily Meter Readings in accordance with paragraph 5.7;
- (b) there is a "**Daily Read Error**" in respect of a Class 1 or Class 2 Supply Meter on a Day where, by reason of the Daily Read Facility not functioning correctly, and not by reason of a failure of any other part of the Supply Meter Installation, the volume of gas which is determined on the basis of the Daily Meter Readings obtained by the CDSP or provided by the Transporter or the User (pursuant to paragraph 6.3, 7.3 or 5.7) differs from the metered consumption;
- (c) "**metered consumption**" is the volume of gas which was offtaken from the Total System at the Supply Meter Point on the Day, as registered by the Supply Meter and any convertor (and not what is determined by reference to the Daily Meter Readings obtained by the Daily Read Facility);
- (d) where the Supply Meter Installation includes a convertor, references to volume are to volume as converted for temperature and/or pressure by such convertor;
- (e) a Daily Read Facility functions correctly where it functions within a tolerance of accuracy of 1%;

- (f) a reference to the Daily Read Facility includes (in relation to Datalogged Daily Read Equipment and Telemetered Daily Read Equipment) a reference to the elements of UK Link by which messages sent by Daily Read Equipment located at the Supply Point Premises only are processed and submitted as Daily Meter Readings to the Registered User.

5.15.2 In respect of any Day (a **“Daily Read Error Day”**), other than a Failed Daily Read Day, a User may, until the 5th Day after the Day on which the CDSP obtained or the Transporter or the User provided Daily Meter Readings in respect of a Relevant Class 1 or Class 2 Supply Meter, give notice (a **“Daily Read Error Notice”**) to the CDSP:

- (a) to the effect that (notwithstanding validation under paragraph 5.3) the User considers that there was a Daily Read Error on the Day; and
- (b) specifying the volume (the “User Volume Estimate”) which the User considers to have been the metered consumption on the Day,

and where the User gives a Daily Read Error Notice the further provisions of this paragraph 5.15 and, in relation to a Datalogged Class 1 Supply Meter and a Telemetered Class 1 Supply Meter, paragraph 6.4 or 7.4 shall apply as applicable.

5.15.3 For the purposes of determining the User’s UDQO in relation to the Daily Read Error Day (and where applicable subsequent Days):

- (a) subject to paragraph (b), notwithstanding the Daily Read Error Notice (and in the case of a Class 1 Supply Meter the CDSP’s notice under paragraph 6.4.1(b)) or the Transporter’s notice under paragraph 7.4.1(b) as applicable, the volume determined by reference to the Daily Meter Reading shall be used;
- (b) where the Daily Read Error Notice was submitted not later than the Exit Closeout Date in relation to the Daily Read Error Day:
 - (i) in the case of a Class 1 Supply Meter, paragraph 6.4.5 or 7.4.5 may apply;
 - (ii) the CDSP may (before the Exit Close-out Date) by agreement with the User substitute, for the value of the Metered Quantity derived from the original Daily Meter Readings, the value derived from the User Volume Estimate or such other value as the CDSP and the User shall agree (in which case the CDSP will notify the Transporter of such value);
- (c) in relation to Days after the Failed Daily Read Day, the CDSP may also agree with the User to adjust the Metered Quantity determined for each such Day, until the Day when the Daily Read Facility is repaired, replaced or remedied in accordance with paragraph 5.15.8, on a basis reflecting an agreed degree of error

(in which case the CDSP will notify the Transporter of such agreement),

(and for the avoidance of doubt the operation of paragraph (b)(ii) or (c) is a Consumption Adjustment as provided in paragraph 1.9.4).”

In paragraph 5.15.4 delete “the Transporter” and replace it with “the CDSP”.

In paragraph 5.15.5 delete the words “paragraph 6.6” and replace them with the words “paragraph 6.4 or 7.4, as applicable”.

Delete paragraphs 5.15.7 and 5.15.8 and replace them with the following new paragraphs 5.15.7 and 5.15.8:

“5.15.7 For the purposes of estimating the metered consumption for the Daily Read Error Day, where the Daily Read Facility is found not to be functioning correctly, and it is not apparent when it started to function incorrectly, unless the CDSP and the User otherwise agree, the CDSP shall assume that such facility started to function incorrectly half way through the period from when the facility was last inspected by the CDSP or the User, as the case may be, (whether pursuant to this paragraph 5.15 or any annual or other maintenance inspection) to the date of the Daily Read Error Notice.

5.15.8 Where it is agreed or determined that the Daily Read Facility is not functioning correctly, the CDSP, in the case of a Datalogged Class 1 Supply Meter, the Transporter, in the case of a Telemetered Class 1 Supply Meter, or the Registered User, in any other case, will at its expense as soon as is reasonably practicable repair, replace or remedy the Daily Read Facility.”

Delete paragraphs 6.1.1 and 6.1.2 and replace them with the following new paragraphs 6.1.1 and 6.1.2:

“6.1.1 The “**Class 1 Meter Read Requirement**” in relation to a Supply Meter is the requirement that Daily Read Equipment be installed and connected to such Supply Meter and has become operational in accordance with paragraph 6.2.3 or 7.2.3.

6.1.2 This Section 6 applies with respect to Daily Read Equipment generally and, where specified, Datalogged Daily Read Equipment specifically. Section 7 applies to Telemetered Daily Read Equipment specifically.”

Delete paragraphs 6.2.1 to 6.2.12 and replace them with the following new paragraphs 6.2.1 to 6.2.9:

“6.2.1 Subject to paragraph 7, for the purposes of the Code:

- (a) **“Daily Read Equipment”** means Datalogged Daily Read Equipment or Telemetered Daily Read Equipment;
- (b) **“Datalogged Daily Read Equipment”** means equipment, of a design and standard of manufacture specified (consistently with any Legal Requirement) by the CDSP or Transporter for the purposes of this Section, which enables Meter Readings to be obtained by the CDSP remotely, which comprises:
 - (i) a device for capturing from the Supply Meter, and/or (where installed) a convertor, data which constitutes or permits the derivation of a Meter Reading; and
 - (ii) a telephone line or radio transmitter and/or such other equipment as shall be required for transmitting such data to the Transporter in accordance with the relevant requirements of the UK Link Manual,
and a reference to a **“Datalogged”** Supply Meter Point, Supply Point or Supply Meter shall be construed accordingly;
- (c) **“Telemetered Daily Read Equipment”** means equipment for the synchronous generation and transmission of data calculated by, or otherwise derived from, the operation of the Supply Meter including data which constitutes or permits the derivation of Meter Readings, together with a telephone line or radio transmitter and/or such other equipment as shall be required for the continuous transmission of a stream of such data to the Transporter, and a reference to a **“Telemetered”** Supply Meter Point, Supply Point or Supply Meter shall be construed accordingly.

6.2.2 Daily Read Equipment may (where designed to be capable of such installation) be installed in connection with more than one Supply Meter at a single Supply Point Premises.

6.2.3 Where the Class 1 Meter Read Requirement applies in relation to a Supply Meter Point pursuant to **Section G2.1**, and where paragraph 7.2.1 does not apply, the CDSP will have the sole entitlement and responsibility for ensuring the Class 1 Meter Read Requirement is satisfied, by:

- (a) furnishing, installing, removing, making operational and maintaining Datalogged Daily Read Equipment (including its connection or reconnection to the Supply Meter Installation); and
- (b) repairing or replacing the Datalogged Daily Read Equipment where such repair or replacement is necessary as a result of the failure (including by reason of damage, normal wear or tear or defective design or manufacture) thereof.

6.2.4 Datalogged Daily Read Equipment installed at a Supply Meter Point will be treated as being operational (for the purposes of paragraph 1.3.1) with

effect from the Day on which the CDSP notifies the Registered User that the equipment is operational.

6.2.5 Subject to **Section G2.1.5**, where a New Supply Meter Point is a Class 1 Supply Meter Point pursuant to **Section G2.1.8** and paragraph 7.2.1 does not apply, the CDSP will, as soon as reasonably practicable, furnish, install, make operational and maintain Datalogged Daily Read Equipment at the relevant Supply Meter, and shall notify the Registered User when Datalogged Daily Read Equipment has been installed and made operational in accordance with paragraph 6.2.3. In the event of undue delay being experienced, the CDSP will:

- (a) promptly notify the Registered User of the nature of the delay and of an expected timescale for resolution;
- (b) ensure that the Registered User is regularly advised of progress and promptly notified when the Datalogged Daily Read Equipment has been installed and made operational.

6.2.6 Where requested by the CDSP, the Registered User will:

- (a) procure permission and access for the CDSP to:
 - (i) install and make operational (and, where permitted under **Section G2.1.6(c)** remove) the Datalogged Daily Read Equipment;
 - (ii) attach the Datalogged Daily Read Equipment to the Supply Meter Installation;
- (b) facilitate inspection and maintenance and any activity referred to in paragraph 6.2.3 by the CDSP as required for the purposes of keeping such equipment operational (including any requirement for resynchronisation and/or adjustment);
- (c) procure that a suitable site including support, protection and security for the Datalogged Daily Read Equipment is available at the Supply Point Premises.

6.2.7 Where the Registered User intends, or becomes aware that the consumer or any other person intends, to undertake works on the Supply Meter Installation (or any part of it) which will or is likely to impact on the ability of the CDSP to obtain accurate and timely Valid Daily Meter Readings from Datalogged Daily Read Equipment then:

- (a) the Registered User will use reasonable endeavours to notify the CDSP, at least two Supply Point Systems Business Days prior to the commencement of such works:
 - (i) of the date when disconnection of Daily Read Equipment from such Supply Meter Installation will occur and subject to
 - (ii) such date will be the date when reconnection of Daily Read Equipment to the Supply Meter Installation is required;

- (ii) of the date when reconnection of Daily Read Equipment to the Supply Meter Installation is required if different from (i);
 - (b) the CDSP will within two Supply Point Systems Business Days of the reconnection date stated in (a)(ii) use reasonable endeavours to reconnect and resynchronise its Datalogged Daily Read Equipment with the Supply Meter Installation.
- 6.2.8 The Registered User shall take reasonable steps to secure that the Datalogged Daily Read Equipment is not damaged or otherwise mistreated.
- 6.2.9 Ownership of the Datalogged Daily Read Equipment shall remain with the CDSP (or any person to whom the CDSP may transfer ownership)."

Delete paragraphs 6.3.1 to 6.3.7 and replace them with the following new paragraphs 6.3.1 to 6.3.6:

- "6.3.1 In relation to a Datalogged Class 1 Supply Meter:
- (a) the CDSP will obtain (and the User authorises the CDSP to obtain) by means of the Datalogged Daily Read Equipment (where it is operational) a Daily Meter Reading for each Day; and
 - (b) the CDSP may so obtain Meter Readings at other times within the Day..
- 6.3.2 The CDSP is responsible for validation of the Meter Readings from Datalogged Daily Read Equipment in accordance with paragraph 5.3.
- 6.3.3 In relation to a Datalogged Class 1 Supply Meter a Daily Meter Reading will not be Valid unless it is provided to the relevant User in the format and by the means specified in the UK Link Manual.
- 6.3.4 In relation to a Datalogged Class 1 Supply Meter Point, where **Section G2.1.8** applies, the CDSP shall use all reasonable endeavours to obtain Meter Readings by procuring On-Site Meter Reads, for each Day commencing with the Supply Point Registration Date and the Registered User shall cooperate with the CDSP in relation thereto.
- 6.3.5 When the Class 1 Meter Read Requirements are satisfied with respect to a Datalogged Class 1 Supply Meter Point, the CDSP will obtain Meter Readings in accordance with paragraph 6.3.1.
- 6.3.6 When the CDSP cannot obtain Meter Readings under paragraph 6.3.4 for the Supply Point Registration Date or for any of the six consecutive Days thereafter, then for each Day for which Meter Readings are not obtained the Metered Volume shall be estimated in accordance with paragraph 5.4, but thereafter paragraph 5.11 shall apply as though a Meter Reading obtained under paragraph 6.3.4 were a Valid Meter Reading obtained from Datalogged Daily Read Equipment."

Delete paragraphs 6.4 to 6.7 and replace them with the following new paragraphs 6.4 to 6.6:

“6.4 Daily Read Errors – Datalogged Class 1 Supply Meters

6.4.1 Where a User gives a Daily Read Error Notice in relation to a Datalogged Class 1 Supply Meter:

- (a) the CDSP will as soon as reasonably practicable and wherever possible within 3 Supply Point Systems Business Days after such notice, ascertain whether the elements of UK Link referred to in paragraph 5.15.1(f) are functioning correctly, and (if they are) the CDSP will visit and (subject to being given sufficient access to the Supply Meter Installation and/or the Datalogged Daily Read Equipment) inspect the Datalogged Daily Read Equipment;
- (b) upon or as soon as reasonably practicable after its inspection, the CDSP shall provide to the User a notice stating:
 - (i) whether in the CDSP’s judgement the Datalogged Daily Read Equipment is functioning correctly; and
 - (ii) where in the CDSP’s judgement the Datalogged Daily Read Equipment is not functioning correctly, the CDSP’s estimate (the **CDSP Volume Estimate**”), in accordance with paragraph 5.15.7 where applicable, and after taking account of the User Volume Estimate, of what was the metered consumption for the Daily Read Error Day, and the basis for its estimate;
- (c) subject to paragraph 5.15.3(a), and unless otherwise agreed, the CDSP’s judgement under paragraph (b) will be final and its estimate will apply for the purposes of paragraph 5.15.4 unless within 5 Supply Point Systems Business Days after the CDSP’s notice under paragraph (b) the User gives notice (“rejection notice”) to the CDSP that the User does not accept the CDSP’s judgement under paragraph (b)(i) or its estimate under paragraph (b)(ii);
- (c) upon receiving the Users’ notice pursuant to paragraph (c), the CDSP shall enter into a dialogue with the User to attempt to resolve the difference. Where such resolution is not promptly achieved and in any event within 5 Supply Point Systems Business Days following receipt of the rejection notice, paragraph 6.4.3 will apply; and
- (d) where correction of the fault (by repair or replacement of the Datalogged Daily Read Equipment) is not possible at the same time as the inspection, the CDSP will correct such fault as soon as possible following such inspection.

6.4.2 The costs and expenses incurred by the CDSP in carrying out the inspection pursuant to paragraph 6.4.1(a) shall be borne:

- (a) by the User, if the amount of the User Volume Estimate differs from the volume determined by reference to the Daily Meter Reading by less than 10%;

- (b) except as provided in paragraph (a):
 - (i) where the User did not give a rejection notice:
 - (1) by the User where in the CDSP's judgement the Datalogged Daily Read Equipment was functioning correctly; and
 - (2) otherwise by the CDSP; and
 - (ii) where the User gave rejection notice:
 - (1) by the CDSP, where it was agreed or the expert determined that the Datalogged Daily Read Equipment was not functioning correctly (under paragraph 6.4.3(a)(i) or it was agreed or the expert determines under paragraph 6.4.3(a)(ii) that the metered consumption was closer to the User Volume Estimate than to the CDSP Volume Estimate; and
 - (2) otherwise by the User:

6.4.3 Where the User gives a rejection notice, then unless the CDSP and the User agree otherwise:

- (a) there shall be referred to Expert Determination the following questions:
 - (i) whether the Datalogged Daily Read Equipment was functioning correctly, unless in the CDSP's judgement (under paragraph 6.4.1(b)(i)) it was not; and
 - (ii) unless the expert determines that the Datalogged Daily Read Equipment was functioning correctly, what is the best available estimate (in accordance with paragraph 5.15.7 where applicable) of the metered consumption;
- (b) the costs of the expert shall (notwithstanding any contrary provision of GT Section A) be borne by the User where:
 - (i) the expert determines (under paragraph (a)(i)) that the Datalogged Daily Read Equipment was functioning correctly; or
 - (ii) the metered consumption determined (under paragraph (a)(ii)) by the expert was closer to the CDSP Volume Estimate than to the User Volume Estimate,and otherwise by the CDSP.

6.4.4 Where:

- (a) a User has submitted a Daily Read Error Notice in respect of a Day; and

- (b) the User considers that there was a Daily Read Error in respect of any subsequent Day, up to:
 - (i) the Day of the CDSP's inspection under paragraph 6.4.1(a); or
 - (ii) (where the Datalogged Daily Read Equipment is found not to be functioning correctly) the Day of its repair or replacement under paragraph 5.15.8,

then unless the CDSP agrees otherwise the further provisions of this paragraph 6.4 shall not apply in relation to such subsequent Day unless the User gives a Daily Read Error Notice for such Day, but the giving of such notice shall not require a further inspection pursuant to paragraph 6.4.1.

6.4.5 For the purposes of determining the User's UDQO, where a User submits a Daily Read Error Notice to the CDSP not later than the Exit Close-out Date in relation to the Daily Read Error Day if by the Exit Close-out Date:

- (a) the CDSP has undertaken an inspection under paragraph 6.4.1(a); and
- (b) the User has informed the CDSP that it accepts the CDSP Volume Estimate,

the value of the Metered Quantity derived from the CDSP Volume Estimate shall be substituted for the value of the Metered Quantity derived from the original Daily Meter Readings.

6.5 Supply Meter Installations Failures

6.5.1 Where, upon an inspection (pursuant to a Daily Read Error Notice or otherwise) of Daily Read Equipment, the CDSP or Transporter finds that there is a failure or unavailability of the Supply Meter Installation and this is the cause of the Daily Read Equipment not functioning correctly the CDSP or Transporter, as applicable, shall so notify the Registered User promptly after its inspection.

6.5.2 Where the Registered User receives notice under paragraph 6.5.1 or otherwise becomes aware of a failure or unavailability of the Supply Meter Installation that may impact on the CDSP or Transporter's ability to procure accurate and timely Valid Daily Meter Readings, the Registered User will:

- (a) promptly advise the CDSP or Transporter, as applicable, when it becomes aware of such failure or unavailability;
- (b) promptly arrange for the repair/replacement of the Supply Meter Installation by a competent person; and
- (c) notify the CDSP or Transporter, as appropriate, when the Supply Meter Installation has been repaired or replaced; and
- (d) unless the Supply Meter Installation has been repaired or replaced, no later than one month after becoming aware of the failure or unavailability of the Supply Meter Installation, inform the CDSP or

Transporter, as appropriate, of the date by which the User is expecting the Supply Meter Installation to be repaired or replaced and thereafter notify the CDSP or Transporter, as appropriate, of any changes to the expected date;

- 6.5.3 Upon notification that a Supply Meter Installation has been repaired/replaced, the Transporter, in the case of a Telemetered Supply Meter Point, or the CDSP, in the case of a Datalogged Supply Meter Point, will arrange for the prompt resynchronisation of the Datalogged Daily Read Equipment.

6.6 Temporary Interruptible Supply Points

- 6.6.1 Where pursuant to Section B6.12.3(c) this paragraph 6.6.1 applies, the CDSP shall ensure that Datalogged Daily Read Equipment is and remains (at all times throughout the period that such Supply Point is designated as a Temporary Interruptible Supply Point) connected to the Supply Meter Installation in relation to the Temporary Interruptible Supply Point.”

Delete section 7 and replace it with the following new section 7:

“7 TELEMETERED CLASS 1 SUPPLY METERS

7.1 Telemetered Daily Read Equipment

- 7.1.1 By agreement between the Transporter and the Registered User or the consumer, the Class 1 Meter Read Requirement may be satisfied by installing Telemetered Daily Read Equipment at the Supply Meter instead of Datalogged Meter Read Equipment.

7.2 Provision of Telemetered Daily Read Equipment

- 7.2.1 Where the Transporter and the Registered User or the consumer, have agreed that Telemetered Daily Read Equipment is to be installed at a Supply Meter Point pursuant to paragraph 7.1.1, the Transporter will have the sole entitlement and responsibility for ensuring the Class 1 Meter Read Requirement is satisfied, by:
- (a) furnishing, installing, removing, making operational and maintaining Telemetered Daily Read Equipment (including its connection or reconnection to, or incorporation in, the Supply Meter Installation); and
 - (b) repairing or replacing the Telemetered Daily Read Equipment where such repair or replacement is necessary as a result of the failure (including by reason of damage, normal wear or tear or defective design or manufacture) thereof.
- 7.2.2 Telemetered Daily Read Equipment installed at a Supply Meter Point will be treated as being operational (for the purposes of paragraph 1.3.1) with effect from the later of:

- (a) the Day on which, following the Transporter's notification to the CDSP, the CDSP notifies the Registered User that the equipment is operational; and
- (b) the first Day on which the Transporter provides to the CDSP a Valid Meter Reading obtained by means of such equipment.

7.2.3 Subject to **Section G2.1.5**, where a New Supply Meter Point is a Class 1 Supply Meter Point pursuant to **Section G2.1.8**, and paragraph 7.2.1 applies, the Transporter will, as soon as reasonably practicable, furnish, install, make operational and maintain Telemetered Daily Read Equipment at the relevant Supply Meter, and shall inform the CDSP (who shall notify the Registered User) when Telemetered Daily Read Equipment has been installed and made operational in accordance with paragraph 7.2.2. In the event of undue delay being experienced, the Transporter will:

- (a) promptly notify the Registered User of the nature of the delay and of an expected timescale for resolution;
- (b) ensure that the Registered User is regularly advised of progress and promptly notified when the Telemetered Daily Read Equipment has been installed and made operational.

7.2.4 Where requested by the Transporter, the Registered User will:

- (a) procure permission and access for the Transporter to:
 - (i) install and make operational (and, where permitted under **Section G2.1.6(c)** remove) the Telemetered Daily Read Equipment;
 - (ii) attach or incorporate the Telemetered Daily Read Equipment to or within the Supply Meter Installation;
- (b) facilitate inspection and maintenance and any activity referred to in paragraph 7.2.3 by the Transporter as required for the purposes of keeping such equipment operational (including any requirement for resynchronisation and/or adjustment);
- (c) procure that a suitable site including support, protection and security for the Telemetered Daily Read Equipment is available at the Supply Point Premises.

7.2.5 Where the Registered User intends, or becomes aware that the consumer or any other person intends, to undertake works on the Supply Meter Installation (or any part of it) which will or is likely to impact on the ability of the Transporter to obtain accurate and timely Valid Daily Meter Readings from Telemetered Daily Read Equipment then:

- (a) the Registered User will use reasonable endeavours to notify the Transporter, at least two Supply Point Systems Business Days prior to the commencement of such works:
 - (i) of the date when disconnection of the Telemetered Daily Read Equipment from such Supply Meter Installation will

occur and, subject to paragraph (ii), such date will be the date when reconnection of Telemetered Daily Read Equipment to the Supply Meter Installation is required; and

- (ii) of the date when reconnection of Telemetered Daily Read Equipment to the Supply Meter Installation is required if different from (i);
 - (b) the Transporter will within two Supply Point Systems Business Days of the reconnection date stated in (a)(ii) use reasonable endeavours to reconnect and resynchronise its Telemetered Daily Read Equipment with the Supply Meter Installation.
- 7.2.6 The Registered User shall take reasonable steps to secure that the Telemetered Daily Read Equipment is not damaged or otherwise mistreated.
- 7.2.7 Ownership of the Telemetered Daily Read Equipment shall remain with the Transporter (or any person to whom the Transporter may transfer ownership).

7.3 Daily Meter Readings

- 7.3.1 In relation to a Telemetered Class 1 Supply Meter:
- (a) the Transporter will obtain (and the User authorises the Transporter to obtain) by means of the Telemetered Daily Read Equipment (where it is operational) a Daily Meter Reading for each Day and Validate the same;
 - (b) the Transporter may so obtain Meter Readings at other times within the Day; and
 - (c) the Transporter shall calculate the Metered Volume from the Validated Daily Meter Reading and provide the same to the CDSP;
 - (d) on receipt of a Metered Volume from the Transporter the CDSP shall (pursuant to Offtake Reconciliation, where applicable) calculate the Metered Quantity.
- 7.3.2 In relation to a Telemetered Class 1 Supply Meters, the Transporter will maintain records of Daily Meter Readings obtained by it in such form and for such time (but not in any event exceeding 5 years) as shall be requisite for the purposes of paragraph 7.3.1.
- 7.3.3 In relation to a Telemetered Class 1 Supply Meter Point, where **Section G2.1.8** applies, the Transporter shall use all reasonable endeavours to obtain Meter Readings by procuring On-Site Meter Reads for each Day commencing with the Supply Point Registration Date, and the Registered User shall cooperate with the Transporter in relation thereto.
- 7.3.4 When the Class 1 Meter Read Requirements are satisfied in respect of a Telemetered Class 1 Supply Meter Point, the Transporter will obtain Meter Readings in accordance with paragraph 7.3.1.

7.3.5 When the Transporter cannot obtain Meter Readings under paragraph 7.3.4 for the Supply Point Registration Date or for any of the six consecutive Days thereafter, then for each Day for which Meter Readings are not obtained the Metered Volume shall be estimated in accordance with paragraph 5.4, but thereafter paragraph 5.11 shall apply as though a Meter Reading obtained under paragraph 7.3.3 were a Valid Meter Reading obtained from Telemetered Daily Read Equipment.

7.4 Daily Read Errors – Telemetered Class 1 Supply Meters

7.4.1 Where a User gives a Daily Read Error Notice in relation to a Telemetered Class 1 Supply Meter:

- (a) the CDSP will notify the Transporter, and the CDSP will as soon as reasonably practicable and wherever possible within 3 Supply Point Systems Business Days after such notice, ascertain whether the elements of UK Link referred to in paragraph 5.15.1(f) are functioning correctly, and (if they are) the CDSP will notify the Transporter, and the Transporter will visit and (subject to being given sufficient access) to the Supply Meter Installation and/or the Telemetered Read Equipment) inspect the Telemetered Daily Read Equipment;
- (b) upon or as soon as reasonably practicable after its inspection, the Transporter will provide to the CDSP a notice, which the CDSP shall provide to the User, stating:
 - (i) whether in the Transporter's judgement the Telemetered Daily Read Equipment is functioning correctly; and
 - (ii) where in the Transporter's judgement the Telemetered Daily Read Equipment is not functioning correctly, the Transporter's estimate (the "**Transporter Volume Estimate**") , in accordance with paragraph 5.15.7 where applicable, and after taking account of the User Volume Estimate, of what was the metered consumption for the Daily Read Error Day, and the basis for its estimate;
- (c) subject to paragraph 5.15.3(a), and unless otherwise agreed, the Transporter's judgement under paragraph (b) will be final and its estimate will apply for the purposes of paragraph 5.15.4 unless within 5 Supply Point Systems Business Days after the Transporter's notice under paragraph (b) the User gives notice to the CDSP that the User disputes the Transporter's judgement under paragraph (b)(i) or its estimate under paragraph (b)(ii);
- (d) upon receiving notice from the User pursuant to paragraph (c), the CDSP shall notify the Transporter, and the Transporter will enter into a dialogue with the User to attempt to resolve the difference. Where such resolution is not promptly achieved and in any event within 5 Supply Point Systems Business Days following receipt of such notice, paragraph 7.4.3 will apply;
- (e) where correction of the fault (by repair or replacement of the Telemetered Daily Read Equipment) is not possible at the same

time as the inspection, the Transporter will correct such fault as soon as possible following such inspection.

7.4.2 The costs and expenses incurred by the Transporter in carrying out the inspection pursuant to paragraph 7.4.1(a) shall be borne:

- (a) by the User, if the amount of the User Volume Estimate differs from the volume determined by reference to the Daily Meter Reading by less than 10%;
- (b) except as provided in paragraph (a):
 - (i) where the User did not give notice pursuant to paragraph 7.4.1(c):
 - (1) by the User where in the Transporter's judgement the Telemetered Daily Read Equipment was functioning correctly; and
 - (2) otherwise by the Transporter; and
 - (ii) where the User did give such a notice:
 - (1) by the Transporter, where it was agreed or the expert determined that the Telemetered Daily Read Equipment was not functioning correctly (under paragraph 7.4.3(a)(i) or it was agreed or the expert determines under paragraph 7.4.3(a)(ii) that the metered consumption was closer to the User Volume Estimate than to the Transporter Volume Estimate; and
 - (2) otherwise by the User;

7.4.3 Where the User gives a rejection notice, then unless the Transporter and the User agree otherwise:

- (a) there shall be referred to Expert Determination the following questions:
 - (i) whether the Telemetered Daily Read Equipment was functioning correctly, unless in the Transporter's judgement (under paragraph 7.4.1(b)(i)) it was not; and
 - (ii) unless the expert determines that the Telemetered Daily Read Equipment was functioning correctly, what is the best available estimate (in accordance with paragraph 5.15.7 where applicable) of the metered consumption;
- (b) the costs of the expert shall (notwithstanding any contrary provision of GT Section A) be borne by the User where:
 - (i) the expert determines (under paragraph (a)(i)) that the Telemetered Daily Read Equipment was functioning correctly; or

- (ii) the metered consumption determined (under paragraph (a)(ii)) by the expert was closer to the Transporter Volume Estimate than to the User Volume Estimate,

and otherwise by the Transporter (and the Transporter shall notify the CDSP of the expert's determination).

7.4.4 Where:

- (a) a User has submitted a Daily Read Error Notice in respect of a Day; and
- (b) the User considers that there was a Daily Read Error in respect of any subsequent Day, up to:
 - (i) the Day of the Transporter's inspection under paragraph 7.4.1(a); or
 - (ii) (where the Telemetered Daily Read Equipment is found not to be functioning correctly) the Day of its repair or replacement under paragraph 5.15.8,

then unless the Transporter agrees otherwise (and notifies the CDSP accordingly) the further provisions of this paragraph 7.4.4 shall not apply in relation to such subsequent Day unless the User gives a Daily Read Error Notice for such Day, but the giving of such notice shall not require a further inspection pursuant to paragraph 7.4.

7.4.5 For the purposes of determining the User's UDQO, where a User submits a Daily Read Error Notice to the CDSP not later than the Exit Close-out Date in relation to the Daily Read Error Day, if by the Exit Close-out Date:

- (a) the CDSP has notified the Transporter, and the Transporter has undertaken an inspection under paragraph 7.4.1(a); and
- (b) the User has informed the CDSP that it accepts the Transporter Volume Estimate notified by the Transporter under paragraph 7.4.1(b),

the value of the Metered Quantity derived from the Transporter Volume Estimate shall be substituted for the value of the Metered Quantity derived from the original Daily Meter Readings."

Delete section 8 in its entirety.

SECTION S – INVOICING AND PAYMENT

In paragraph 2.3.4 delete the words "and Section M7".

Commented [RP8]: Amended by legal text 4.0 as existing M7 (liability payments) is removed

Independent Gas Transporter Arrangements Document

SECTION E – DM CSEP SUPPLY POINTS

Delete section 2 (CLASS 1 IGTS SUPPLY METER POINTS) including the entirety of paragraphs 2.1 to 2.4).

Transition Rules

PART II A

Delete the word “and” at the end of paragraph 1.1(b), redesignate paragraph 1.1(c) as paragraph 1.1(d) and insert the following new paragraph 1.1(c)

- (c) making transitional provisions in connection with the implementation of Modifications whereby events and communications which took place under the Code as it stood prior to the implementation of the Modification are treated as being valid for purposes of the Code following such implementation, which provisions are in Parts II C or II G.

PART II C

In the Transition Rules Part II C (including Annex 1 thereto) delete the words “Transporter Daily Read Equipment” wherever they appear and replace them with the words “Telemetered Daily Read Equipment”.

After paragraph 1.3.6, insert the following new paragraph 1.3.7:

1.3.7 Sections M5.15, M6.2, M6.4, and S2.4 (Transfer of certain meter reading functions of the Transporters to the CDSP)

The following provisions shall apply in connection with the implementation of Modification 710:

- (a) the reference in M5.15.3(a) to the CDSP’s notice under paragraph 6.4.1(b) shall be deemed to include a reference to the Transporter’s Notice pursuant to the equivalent provision prior to the implementation date of Modification 710;
- (b) the reference in M5.15.7 to an agreement between the CDSP and the User shall be deemed to include a reference to an agreement made between the Transporter and the User pursuant to Section M5.15.7 prior to such implementation date;
- (c) a reference in Section M6.4.1(c) or Section M6.4.3(a) to the CDSP’s judgement or estimate shall be deemed to include a reference to the judgement and estimate of the Transporter pursuant to the equivalent provision to M6.4.1(b) prior to such implementation date, and a reference to

the CDSP's notice in relation thereto shall be deemed to include a reference to the Transporter's notice in relation to the same prior to such date, and the CDSP's Volume Estimate shall be deemed to refer to such estimate;

- (d) a reference in Section M 6.6.3(a)(i) to the CDSP's judgement shall be deemed to include a reference to the judgement of the Transporter pursuant to Section M6.6.1(b) prior to such implementation date;
- (e) a reference in M6.2.1 to equipment, of a design and standard of manufacture specified (consistently with any Legal Requirement) by the CDSP for the purposes of Section M includes equipment, of a design and standard of manufacture specified (consistently with any Legal Requirement) by the Transporter for the purposes of Section M prior to the such implementation date, provided that such design and standard is not expressly excluded by any specification issued by the CDSP for such purposes subsequent to such date;
- (f) for the purposes of Section M6.2.3 any Datalogged Daily Read Equipment furnished, installed and made operational by the Transporter prior to the such implementation date shall be deemed to have been furnished, installed and made operational by the CDSP; **and**
- (g) **Section S2.3.4 shall apply to amounts payable by the Transporter to a User pursuant to Section M7 as in force immediately prior to the implementation date of Modification 710 (in addition to amounts payable pursuant to Annex G-2) until all such amounts have been invoiced.**

Commented [RP9]: Required as 0710 removes existing M7 so this is needed to allow payment of amounts due prior to implementation but not paid.

PART II F

In the Transition Rules Part II F delete the words "Transporter Daily Read Equipment" wherever they appear and replace them with the words "Telemetered Daily Read Equipment".