














UNC Workgroup Report	At what stage is this document in the process?
<h1 style="color: #008080;">UNC 0683S:</h1> <h2 style="color: #008080;">Offtake Arrangements Document (OAD) Review Updates – Phase 1</h2>	<div style="display: flex; flex-direction: column; gap: 5px;"> <div style="border: 1px solid #008080; border-radius: 5px; padding: 2px; display: flex; align-items: center; gap: 5px;"> 01 Modification </div> <div style="border: 1px solid #008080; border-radius: 5px; padding: 2px; display: flex; align-items: center; gap: 5px;"> 02 Workgroup Report </div> <div style="border: 1px solid #800080; border-radius: 5px; padding: 2px; display: flex; align-items: center; gap: 5px;"> 03 Draft Modification Report </div> <div style="border: 1px solid #FF8C00; border-radius: 5px; padding: 2px; display: flex; align-items: center; gap: 5px;"> 04 Final Modification Report </div> </div>
<p>Purpose of Modification:</p> <p>This Modification seeks to update the OAD in order to bring it in line with industry changes made since 2005. The Request 0646R Workgroup has since identified a number of areas in OAD that can be updated now (Phase 1), with this being the first in a number of Modifications.</p>	
	<p>The Workgroup recommends that this modification should be:</p> <ul style="list-style-type: none"> subject to self-governance The Panel will consider this Workgroup Report on 16 April 2020. The Panel will consider the recommendations and determine the appropriate next steps.
	<p>High Impact: National Grid Transmission and all GDNs.</p>
	<p>Medium Impact: None</p>
	<p>Low Impact: None</p>

Contents		?	Any questions?
1	Summary	3	Contact: Joint Office of Gas Transporters
2	Governance	4	 enquiries@gasgovernance.co.uk
3	Why Change?	4	 0121 288 2107
4	Code Specific Matters	7	Proposer: Shiv Singh
5	Solution	7	 shiv.singh1@cadentgas.com
6	Impacts & Other Considerations	10	 07580 999 287
7	Relevant Objectives	10	Transporter: Cadent
8	Implementation	11	 shiv.singh1@cadentgas.com
9	Legal Text	12	 07580 999 287
10	Recommendations	12	Systems Provider: Xoserve
			 UKLink@xoserve.com
			Other: Darren Dunkley
			 Darren.dunkley@cadentgas.com
			 07768 102 196
Timetable			
Modification timetable:			
Modification presented to Panel	21 March 2019		
Amended Modification considered by Workgroup	09 May 2019		
Workgroup Report available for Panel	01 April 2020		
Draft Modification Report issued for consultation	16 April 2020		
Consultation Close-out for representations	07 May 2020		
Final Modification Report available for Panel	11 May 2020		
Modification Panel decision	21 May 2020 (at short notice)		

1 Summary

What

Since the implementation of the OAD in 2005, a number of issues have been identified that need to be addressed. A series of amendments were identified during the development of Request 0646R, a number of which it has been identified can be addressed at an early stage. This Modification Proposal is described as Phase 1 and addresses:

- Tripartite arrangements;
- Shared Sites (including the definitions: for bi-directional/reverse flow; and Closed Sites NTS/LDZ);
- Supplemental Agreement Template;
- Critical National Infrastructure (CNI); and
- An 'Affected Party'

Why

In its current form, certain sections of OAD are unclear and ambiguous. As a result, it is open to interpretation which has at times resulted in an inefficient use of both time and resource of the parties concerned. The proposed changes would enable all parties to interpret a Code that is clear, concise, practical and consistent.

- Tripartite Arrangements OAD currently makes an assumption that there can be multiple offtakes at an offtake site. OAD also confirms that the Site Owner is normally the Site Services Party. However, for Tripartite sites, there are normally three parties on site i.e. multiple site Users. The Supplemental Agreement is agreed between the upstream and downstream parties and for tri-partite sites two agreements will be in place. One of these agreements will be between the two site users and therefore the site owner, acting as Site Services Party, may be unaware of site services or updates being confirmed or been made available at the offtake in their name;
- Shared Sites: the current definition of an Offtake needs to be updated to allow for: Closed NTS to LDZ offtakes with the potential to flow gas; Bi-directional flows between NTS to LDZ offtakes in exceptional circumstances; and Shared sites with no physical connection via Individual Offtake Points. As it stands, Offtakes exist that meet these criteria, but are not covered by OAD;
- Supplemental Agreement Template: the Supplemental Agreement does not specify all of the Connections Facilities in Appendices C, D and E of the current Supplemental Agreement (SA). The template has been redesigned to ensure that the typical types of asset found at offtake sites can be documented and confirmation provided on ownership so that this can more robustly demonstrate compliance with the arrangements currently outlined in OAD;
- CNI is a new area not currently covered by OAD. As it stands, it is the Site Owner that is responsible for Site Security. There is though, the potential for the scenario where it is the Site User who will be responsible for security arrangements, such as installing a Site Security Fence and providing the operation and maintenance thereafter. OAD requires updating to allow for such eventualities;
- The material impact on an Affected Party is not currently defined in OAD. This can lead to a difference in the interpretation of what defines 'material impact', and has resulted in an adverse impact upon operational matters due to the lack of communication between Parties.

How

The relevant sections of OAD are proposed to be modified, with new additions included as necessary, so that the resultant legal text satisfies the objectives of the Proposal.

The sections of OAD to be modified include:

- Section A – Scope and Classification
- Section B – Connection Facilities, and
- Appendix Supplemental Agreements

The remainder of OAD will be reviewed to ensure there is no further impact.

2 Governance

Justification for Self-Governance

The Modification Panel determined that this Modification should be subject to Self-governance procedures on the basis that the necessary changes would have no material impact on the commercial activities of Shipper Users, Gas Transporters or Gas Consumers. This is because the proposed changes are to either bring the Code in line with industry changes since 2005, or to address process gaps that have come about as a result of new industry practice. Although we do not envisage any implementation costs, there may be consequential change costs.

Requested Next Steps

This Modification should:

- Be assessed by the Workgroup.

3 Why Change?

Background

Since the implementation of the OAD in 2005, a number of issues have been identified which need to be addressed and resolved. It has been identified that specific sections of OAD are unclear and ambiguous and require clarity to ensure all parties are able to interpret them in a consistent manner. Addressing these issues should lead to greater efficiency. The 0646R Workgroup has agreed that a number of changes to OAD should be made as part of Phase 1. These cover:

- Tripartite arrangements;
- Shared Sites (including the definitions: for bi-directional/reverse flow; and Closed Sites NTS/LDZ);
- Supplemental Agreement Template;
- Critical National Infrastructure (quick win); and
- An 'Affected Party'.

Further Phase 2 Modifications are anticipated in a separate Modification expected to be raised in 2019~~20~~ to cover:

- Maintenance (and clarity on impact assessments/threshold for OAD notices 'significant impact' Section G);
- Further requirements for Critical National Infrastructure (Integrated Security System (ISS)/Physical Security Upgrade Programme (PSUP));
- Site Drawings;
- OAD Notices;
- Point of Offtake.

The 0646R Workgroup also recognised that additional areas for related Offtake Arrangements work in 2019 is expected to include:

- Section D; and
- Safe Control of Operations (SCO) interface documents.

It is still to be determined whether these items will be addressed by the existing 0646R Workgroup or by the Offtake Arrangements Workgroup, and whether they will be addressed in Phase 2, or at a later stage.

The Detail

Tripartite Arrangements

Section A2.1.2 & A2.3.1

Cadent has two tri-party sites where there is one Site Owner and two Site Users located at an offtake site. OAD is currently written in a way that assumes there is only one Site Owner and one Site User and that gas flows from the NTS into one LDZ. In reality, this is not the case and the definitions need to be updated to cover both approaches.

The current Offtake definition i.e. "one or more Individual Offtakes Points, located at each site, at each of which gas can flow into the same LDZ." does not cater for tri-party sites.

Section B2.6.1

Site Services need to be revised to take into account tri-party sites. Normally, there are two Supplemental Agreements in place between the upstream and downstream Operators. However, as the Gas Distribution Networks (GDN) are normally the Site Owners, one SA will be between the Site Owner and Site User, and the other SA will be between the Site User and Site User. Where a SA is between two Site Users, the Site Services are not confirmed by the Site Owner as they are not a party to the agreement. Therefore, the two Site Users are unable to agree these services without the Site Owner.

The "Services Party" can be a third operator who is the Site Owner but not a party to the Supplemental Agreement because this is between the upstream and downstream party only - as in the case at Ross-on-Wye and Winkfield (i.e. tri-partite sites).

New Addition

There have been occasions for tri-party sites where one SA has been updated between the Site Owner and Site User, but the changes have not been mirrored across to the other SA in place between the Site User and Site User. This is critical for issues where for example there are data items that are common between the two SA's in place, such as Access, Security, Cathodic Protection, Utilities Supply and Site Drawings, resulting in a mismatch of data between the two SA's.

Shared Sites

Section A2.1.4

Cadent has a specific site where the systems are connected by closed valves and if opened gas could flow. There are two Networks, physically connected by closed valves. This scenario currently exists between LDZ to LDZ, but not NTS to LDZ. This type of site is not covered by a Supplemental Agreement.

New Addition

Offtake sites are governed by OAD but, due to the current offtake definition in Clause A2.1.4, it only covers where gas flows from the NTS into an LDZ. Cadent have a number of offtake sites where a connection back onto the NTS is required to facilitate pipeline inspections that only occur once every 10-15 years.

Supplemental Agreement Template

Section B2.1.2

The existing version of the SA does not specify all the Connection Facilities in Appendices C and D of the current SA. These are also contained within Appendix E.

New Addition

The SAs should have version control so that you are able to see what changes were implemented when, and arising from what work.

The 'SA Appendix Template v1.0 – Blank' is included alongside this Modification.

Appendix

Current Supplemental Agreements do not document all of the Connection Facilities on site, as per Section B of OAD. Specifically, whilst the mechanical drawing is included with the SA, there is no mention of the electrical or instrumentation assets on site which often can be shared and therefore lead to confusion as to who owns them and thus, maintains them. This is to be addressed by the new SA Template.

Critical National Infrastructure

CNI was introduced to the industry after the OAD was written in 2005. This area deals predominantly with security arrangements, which is covered in OAD Section B3.8.1. This states that it is the Site Owner who is responsible for Site Security. This will not always be the case, as we are aware of scenarios where it will be the Site User who will be installing security arrangements such as a site fence.

An 'Affected Party'

Although this term is defined in OAD (B2.2.3(b)), there can be a difference in the interpretation of the term 'material impact' on an affected Party. This has had an adverse impact on operational matters (such as Routine and Non-Routine Operations) due to a lack of communication between Parties.

It should be noted that any change that a Site User wants to undertake on site must always have Site Owner support via the OAD, and the criteria set out in the solution are more for the Site Owner to consider when determining the need to notify the Site User. The issue being that when OAD notices are raised, some of the impacts on the other Parties are not included.

4 Code Specific Matters

Reference Documents

Offtake Arrangements Document (found here: <https://www.gasgovernance.co.uk/OAD>)

Knowledge/Skills

An understanding of physical assets, access arrangements, etc would be advantageous.

5 Solution

Tripartite Arrangements

To be amended to cater for tri-party sites as follows:

- Where the Site Services Party is neither the upstream nor downstream Party, the Site Services Party will be a party to the SA and must be clearly documented in the SA (limited to Site Services for tripartite sites only)

Shared Sites

NTS and LDZ Shared Sites

- NTS/LDZ Offtake definition – For the avoidance of doubt, this definition is to be retained
- Closed offtakes – Modify existing clause to include NTS/LDZ Closed Offtakes
- Non-offtake NTS/LDZ shared site – New

All of the above categories to be bi-directional in exceptional circumstances only: can flow gas from the NTS to the LDZ and can flow gas from the LDZ to the NTS (subject to appropriate caveats).

Modify Closed offtakes to include NTS/LDZ Closed Offtake

- Supplemental Agreement required
- NTS and LDZ connection facilities on a site
- Physical connection to flow gas but valve is closed
- In exceptional circumstances flow gas from NTS/LDZ e.g. Inline Inspection (ILI) run
 - Subject to agreement by all Parties
 - Subject to liabilities being appropriate
- On-going maintenance required
- Measurement equipment may be on site – Calculation for unmetered gas

Add non-offtake NTS/LDZ shared site

- Must have a Supplemental Agreement in place
- NTS and LDZ assets/facilities on a site (either within site fence or site boundary)
- No physical connection to flow gas
- In exceptional circumstances (temporary connection) flow gas from NTS/LDZ e.g. ILI run

- Subject to agreement by all Parties
- Subject to liabilities being appropriate
- No measurement equipment on site – calculation for unmetered gas

Bi-Directional flows

- Bi-directional flow applies to:
 - NTS/LDZ offtakes,
 - NTS/LDZ closed offtakes,
 - Non-offtake NTS/LDZ Offtake
- Can flow gas from the NTS into an LDZ
 - In exceptional circumstances for closed sites and non-offtakes
- In exceptional circumstances, can flow gas from the LDZ to NTS e.g. ILI runs
 - Subject to agreement by all Parties
 - Subject to liabilities being appropriate
 - Any unmetered gas accounted for

Appropriate Liabilities

Agreement to reverse flow and/or opening of closed sites will be subject to liabilities being appropriate:

- Third Party claims
- NTS direct connections – NG customers
- DN Offtake claims
- DN Gas Quality claims
- GSMR compliance not being demonstrated on entry.

Supplemental Agreement Template

Section B2.1.2

The Section of OAD entitled '01 January 2006 OAD Appendices' is to be removed and set up as a subsidiary document (referred to as the OAD Template Agreements Document) as follows:

1. Recitals (see Supplemental Agreement Template); and
2. Appendices (see SA Appendix Template v1.0 – Blank)

The OAD Template Agreements Document will comprise of Parts 1 to 4 as follows:

3. Part 1 – NTS/LDZ Offtake – Supplemental Agreement (Bilateral)
4. Part 2 – NTS/LDZ Offtake – Supplemental Agreement (Tripartite)
5. Part 3 – NTS/LDZ Offtake – Supplemental Agreement
6. Part 4 – Shared Site Agreement (No Offtake)

All references in OAD to specific sections in the Supplemental Agreements need to be reviewed and updated accordingly taking into account this important document is now a subsidiary document.

The proposed Supplemental Agreement templates have been included alongside this Modification.

Annex B2

Existing text to be modified as follows:

Part 1 – Mandatory Site Services

Site Service

- a) Cathodic protection, including:
 - i. Maintaining and testing such cathodic protection systems (and planning for such maintenance in accordance with the provisions for Relevant Maintenance in Section G); and
 - ii. Providing each Site User a report certifying compliance of the cathodic protection systems no later than 14 days after any maintenance or testing in accordance with sub-paragraph (i);
- b) Electrical Services;
- c) Standby Power;
- d) Site security; and
- e) Retention of Site records, including maintenance reports for Site Services.

Further details relating to the Site Services listed in this Part 1 shall be recorded in the relevant Supplemental Agreement.

NB. b) and c) above will move to Part 1 from Part 2.

Part 2 – Other Site Services

- a) Water Services;
- b) Telecommunication Services;
- c) Site Drainage;
- d) Welfare Facilities

It is proposed that updates to existing Supplemental Agreements can be made as and when agreed between the Transporters.

Critical National Infrastructure

Section B3.8.1

- By agreement Site security can be transferred to the Site User
- Documented in Supplemental Agreements(s) and Site Schedule of Responsibilities

An ‘Affected Party’

Section B2.2.3

Alterations, replacements, relocation, and additions which have any of the following impacts, the “Modifying Party” will need to include these in the notice defined in B2.2.4 if available at the time:

- Any impact to the electrical power arrangements i.e. outage or disruption to the site supply or any specific boards; or where standby power arrangements need to be deployed
- Any impact to the telemetry system i.e. outage or disruption concerning RTU (insert meaning), communication equipment or impact to control and signalling requirements

- o Any site restrictions that will prevent the other party accessing the site in full or part i.e. for safety reasons or Construction Design Management (CDM) regulations

6 Impacts & Other Considerations

Does this modification impact a Significant Code Review (SCR) or other significant industry change projects, if so, how?

There is no impact on any Significant Code Review.

Consumer Impacts

There is no impact on consumers on the basis that the Modification is solely associated with Transporter to Transporter issues.

Cross Code Impacts

No other industry codes are affected.

EU Code Impacts

There is no impact on any EU Code.

Central Systems Impacts

There is no impact on any central systems.

Workgroup Impact Assessment *(Joint Office to complete)*

[Operators agreed that that the documentation, \(Modification, Legal Text, text explanatory note & OAD Template Agreement Documents are stable and fit for purpose,](#)

[Confirmed – governance is set out inOAD Section N1.2](#)

[Anything else?](#)

Rough Order of Magnitude (ROM) Assessment

[No impact on any central systems therefore no ROM required](#)

7 Relevant Objectives

Impact of the modification on the Relevant Objectives:	
Relevant Objective	Identified impact
a) Efficient and economic operation of the pipe-line system.	Positive
b) Coordinated, efficient and economic operation of (i) the combined pipe-line system, and/ or (ii) the pipe-line system of one or more other relevant gas transporters.	Positive
c) Efficient discharge of the licensee's obligations.	None

<p>d) Securing of effective competition:</p> <ul style="list-style-type: none"> (i) between relevant shippers; (ii) between relevant suppliers; and/or (iii) between DN operators (who have entered into transportation arrangements with other relevant gas transporters) and relevant shippers. 	None
<p>e) Provision of reasonable economic incentives for relevant suppliers to secure that the domestic customer supply security standards... are satisfied as respects the availability of gas to their domestic customers.</p>	None
<p>f) Promotion of efficiency in the implementation and administration of the Code.</p>	Positive
<p>g) Compliance with the Regulation and any relevant legally binding decisions of the European Commission and/or the Agency for the Co-operation of Energy Regulators.</p>	None

Topics within the Modification and assessment against Relevant Objectives

Tripartite Arrangements

This section of the Modification facilitates GT Licence objective *f) Promotion of efficiency in the implementation and administration of the Code* by providing clarity in the UNC regarding Tripartite Arrangements.

Shared Sites

This section of the Modification facilitates GT Licence relevant objective *a) Efficient and economic operation of the pipe-line system* and *b)(i) Coordinated, efficient and economic operation of the combined pipe-line system* as it provides clarity on OAD matters impacting the Gas Transporters, thus enabling effective communication between parties, and a more efficient use of assets contained within their Systems.

OAD Template ~~Supplemental Agreement~~ Document ~~Template~~

This section of the Modification facilitates GT Licence objective *f) Promotion of efficiency in the implementation and administration of the Code* by providing clarity in the UNC regarding Supplemental Agreements.

Critical National Infrastructure

This section of the Modification facilitates GT Licence objective *f) Promotion of efficiency in the implementation and administration of the Code* by providing clarity in the UNC regarding CNI, which is a new area to OAD.

An 'Affected Party'

This section of the Modification facilitates GT Licence objective *f) Promotion of efficiency in the implementation and administration of the Code* by providing clarity in the UNC regarding the criteria for a material impact on an Affected Party.

8 Implementation

As self-governance procedures are proposed, implementation could be sixteen business days after a Modification Panel decision to implement, subject to no Appeal being raised.

[The Workgroup agreed that there should be a gradual migration of sites from the existing arrangements to those set-out in the Modification Proposal. The migration approach is captured within the transitional Legal Text Section N1.2.](#)

[A consequential impact of the implementation of this Modification proposal will be that there will be approximately, a small number of sites, \(approx.7\), that will be covered by OAD, that were not previously. These will require new Supplemental Agreements to be put in place. Following a review by the Workgroup, the view was that an implementation period should be agreed between the Operators, and the expectation is that this period would be approximately up to 12 months, although it is noted that the adoption of this timescale is not mandated by this proposal.](#)

9 Legal Text

Legal Text has been provided by Cadent and is published alongside this report. The Workgroup has considered the Legal Text and is satisfied that it meets the intent of the Solution.

[CONFIRM FOR APRIL MEETING](#)

Text Commentary

Insert text here

Text

Insert text here

10 Recommendations

Workgroup's Recommendation to Panel

The Workgroup asks Panel to agree that this self-governance modification should proceed to consultation.